

Clinical Policy: Scanning Computerized Ophthalmic Diagnostic Imaging

Reference Number: OC.UM.CP.0014
Last Review Date: 04/2020

[Coding Implications](#)
[Revision Log](#)

See [Important Reminder](#) at the end of this policy for important regulatory and legal information.

Description

Scanning Computerized Ophthalmic Diagnostic Imaging (SCODI) is a non-invasive, non-contact imaging technique that produces high resolution, cross-sectional tomographic images of ocular structures and is used for the evaluation of anterior segment and posterior segment diseases. This policy describes the medical necessity indications for SCODI.

Policy/Criteria

- I. It is the policy of health plans affiliated with Envolve Vision, Inc.[®] that scanning computerized ophthalmic diagnostic imaging (SCODI) is **medically necessary** for the following indications:
 - A. Anterior SCODI, one of the following:
 1. Diagnosis of suspected glaucoma with one of the following:
 - a. An optic nerve or nerve fiber layer defect suggestive of glaucoma (enlarged cup-disc ratio, asymmetric cup-disc ratio, notching or narrowing of the neuroretinal rim, a disc hemorrhage, or suspicious alteration in the nerve fiber layer);
 - b. A visual field abnormality consistent with glaucoma;
 - c. An elevated intraocular pressure (IOP) greater than 21 mm Hg;
 2. Glaucoma evaluation/monitoring for any of the following conditions:
 - a. Glaucoma associated with anatomical lens anomaly;
 - b. Glaucoma resulting from pigment dispersion, pseudo exfoliation, angle closure or narrowing, and low tension associated pathology;
 - c. Glaucoma secondary to drug use;
 - d. Glaucoma secondary to hypersecretion, or associated with aqueous misdirection or episcleral venous pressure;
 3. Corneal ulcer of critical depth or with risk of perforation;
 4. Corneal edema, degeneration, or transplant rejection/failure/infection;
 5. Iris cyst, atrophy, degeneration, or neoplasm;
 6. Iridoschisis, anterior/posterior synechiae, goniosynechiae, iridodialysis, plateau iris syndrome, or angle closure;
 - B. Posterior optic nerve SCODI, one of the following:
 1. Malignant neoplasm of brain, cranial nerves, pituitary and pineal glands, or craniopharyngeal duct;
 2. Orbital cellulitis, myositis, cyst, edema or hemorrhage;
 3. Exophthalmos or displacement of globe;
 4. Orbital atrophy, deformity, enlargement, or exostosis;
 5. Enophthalmos;
 6. Diagnosis of suspected glaucoma, one of the following:

Scanning Computerized Ophthalmic Diagnostic Imaging (SCODI)

- a. An optic nerve or nerve fiber layer defect suggestive of glaucoma (enlarged cup-disc ratio, asymmetric cup-disc ratio, notching or narrowing of the neuroretinal rim, a disc hemorrhage, or suspicious alteration in the nerve fiber layer);
- b. A visual field abnormality consistent with glaucoma;
- c. An elevated IOP greater than 21 mm Hg;
7. Glaucoma evaluation/monitoring for any of the following conditions in mild to moderate stages:
 - a. Primary open angle glaucoma;
 - b. Glaucoma associated with anatomical lens anomaly;
 - c. Glaucoma resulting from pigment dispersion, pseudo exfoliation, angle closure or narrowing, and low tension associated pathology;
 - d. Glaucoma secondary to drug use;
 - e. Glaucoma secondary to hypersecretion, or associated with aqueous misdirection;
 - f. Glaucoma secondary to trauma or inflammation;
8. Optic nerve evaluation in any of the following conditions:
 - a. Papilledema, coloboma, drusen, pseudopapilledema, Foster-Kennedy syndrome, optic nerve sheath hemorrhage, or hypoplasia;
9. Visual pathway or optic chiasm neoplasm, inflammatory disorders or vascular disorders;
10. Visual field defects;
11. Ocular injury;
12. Diabetic eye disease;
13. Orbital cellulitis, myositis, cyst, edema and hemorrhage;
- C. Posterior retinal SCODI;
 1. Choroidal neoplasm (benign or malignant);
 2. Ocular histoplasmosis duboisii;
 3. Diabetic retinopathy or diabetic eye disease;
 4. Hypertensive retinopathy;
 5. Orbital cellulitis, osteomyelitis, periostitis, tenonitis, granuloma, myositis, cyst, edema and hemorrhage;
 6. Exophthalmos or enophthalmos;
 7. Orbital atrophy, cyst, deformity, enlargement or exostosis;
 8. Enophthalmos;
 9. Staphyloma, or scleral ectasia;
 10. Focal chorioretinal inflammation;
 11. Macular and choroidal scarring, atrophy, degeneration, or drusen;
 12. Choroidal rupture or detachment;
 13. Degenerative myopia;
 14. Retinal detachment, edema, ischemia, or hemorrhage;
 15. Retinal pigment epithelium detachment;
 16. Vascular occlusion (central retinal artery, partial retinal artery, retinal artery branch, central retinal vein, tributary retinal vein), changes in vascular appearance, exudative retinopathy, retinal micro-aneurysms, retinal neovascularization, vasculitis, or telangiectasias;
 17. Baseline and annual evaluation of patients using chloroquine (CQ) and/or hydroxychloroquine (HCQ), both of the following:

CLINICAL POLICY

Scanning Computerized Ophthalmic Diagnostic Imaging (SCODI)

- a. Requires Spectral Domain-Optical Coherence Tomography (SD-OCT);
- b. In the presence of systemic lupus erythematosus or rheumatoid arthritis.

II. It is the policy of health plans affiliated with Envolve Vision, Inc.[®] that SCODI is not medically necessary for the following indications:

- A. Advanced glaucomatous damage;
- B. Screening for glaucoma.

Background

Optical coherence tomography (OCT) has advanced considerably since it was first applied to the eye. It is an extension of a technique called low-coherence interferometry, which was initially applied to ophthalmology for in vivo measurements of eye axial length. At the time of introduction, it was used to obtain in vivo optical cross sections of the anterior segment, as well as retinal diseases, such as macular detachment, macular hole, epiretinal membrane, macular edema, and idiopathic central serous chorioretinopathy. OCT cross sections were also used to evaluate the optic disc and retinal layers such as the retinal nerve fiber layer (RNFL). Scan patterns that enabled reproducible measurements were developed, and these eventually became incorporated into a commercial system, which had an axial resolution of ~10 μm .

The implementation of broadband light sources into OCT systems improved the axial resolution from ~10 μm to as high as 2 μm in tissue. Acquisition speed has improved considerably by detecting backscattering signals in the frequency domain, which means backscattered depth information at a given location can be collected without the movement of a reference mirror. Frequency information is acquired with a broad-bandwidth light source, charge-coupled device (CCD) camera, and a spectrometer or by sweeping a narrow-bandwidth source through a broad range of frequencies with a photodetector. The approach that incorporates a broadband light source is often referred to as spectral-domain (SD)-OCT, whereas the latter is termed swept-source (SS)-OCT. In both approaches, intensity profiles (A-scans) are obtained using a Fourier-transform of the detected frequencies, and this facilitates rapid A-scan collection. In addition to improved scanning speed, frequency-domain-OCT also offers the advantage of higher detection sensitivity—that is, it exhibits higher signal-to-noise, given a perfect reflection

Posterior segment SCODI also permits high resolution assessment of the retinal and choroidal layers, the presence of thickening associated with retinal edema, and of macular thickness measurement. Vitreo-retinal and vitreo-papillary relationships are displayed permitting surgical planning and assessment.

Anterior segment SCODI is used in the evaluation and treatment planning of diseases affecting the cornea, iris, and other anterior chamber structures. The procedure also may be used to provide additional information during the planning and follow-up for corneal, iris, and cataract surgeries.

Clinical evidence has shown that long-term use of chloroquine (CQ) and/or hydroxychloroquine (HCQ) can lead to irreversible retinal toxicity. Therefore, these two medications are deemed high risk, and Optical Coherence Tomography (CPT 92134) may be indicated to provide a baseline prior to starting the medication and as an annual follow-up. Clinical evidence shows that the

Scanning Computerized Ophthalmic Diagnostic Imaging (SCODI)

resolution of time-domain OCT instruments is not sufficient to detect early toxic retinal changes. Because of that, Spectral Domain-Optical Coherence Tomography (SD-OCT) is expected to be used to detect retinal changes that are due to the use of CQ or HCQ. Eye care providers without SD-OCT equipment should refer beneficiaries to offices or centers that have SD-OCT available.

Coding Implications

This clinical policy references Current Procedural Terminology (CPT®). CPT® is a registered trademark of the American Medical Association. All CPT codes and descriptions are copyrighted 2018, American Medical Association. All rights reserved. CPT codes and CPT descriptions are from the current manuals and those included herein are not intended to be all-inclusive and are included for informational purposes only. Codes referenced in this clinical policy are for informational purposes only. Inclusion or exclusion of any codes does not guarantee coverage. Providers should reference the most up-to-date sources of professional coding guidance prior to the submission of claims for reimbursement of covered services.

ICD-10-CM Diagnosis Codes that Support Coverage Criteria

Medical indications for CPT 92132:

| Medical indications for 92132 – SCODI, anterior segment | |
|--|---|
| ICD-10-CM Code | Description |
| C69.01 | Malignant neoplasm of right conjunctiva |
| C69.02 | Malignant neoplasm of right cornea |
| C69.12 | Malignant neoplasm of left cornea |
| C69.31 | Malignant neoplasm of right choroid |
| C69.32 | Malignant neoplasm of left choroid |
| C69.41 | Malignant neoplasm of right ciliary body |
| C69.42 | Malignant neoplasm of left ciliary body |
| C69.81 | Malignant neoplasm of overlapping sites of right eye and adnexa |
| C69.82 | Malignant neoplasm of overlapping sites of left eye and adnexa |
| D31.01 | Benign neoplasm of right conjunctiva |
| D31.02 | Benign neoplasm of left conjunctiva |
| D31.11 | Benign neoplasm of right cornea |
| D31.12 | Benign neoplasm of left cornea |
| D31.31 | Benign neoplasm of right choroid |
| D31.32 | Benign neoplasm of left choroid |
| D31.41 | Benign neoplasm of right ciliary body |
| D31.42 | Benign neoplasm of left ciliary body |
| H11.011 | Amyloid pterygium of right eye |
| H11.012 | Amyloid pterygium of left eye |
| H11.013 | Amyloid pterygium of eye, bilateral |
| H11.021 | Central pterygium of right eye |
| H11.022 | Central pterygium of left eye |
| H11.023 | Central pterygium of eye, bilateral |
| H11.031 | Double pterygium of right eye |

CLINICAL POLICY
Scanning Computerized Ophthalmic Diagnostic Imaging (SCODI)

| Medical indications for 92132 – SCODI, anterior segment | |
|--|---|
| ICD-10-CM Code | Description |
| H11.032 | Double pterygium of left eye |
| H11.033 | Double pterygium of eye, bilateral |
| H11.041 | Peripheral pterygium, stationary, right eye |
| H11.042 | Peripheral pterygium, stationary, left eye |
| H11.043 | Peripheral pterygium, stationary, bilateral |
| H11.051 | Peripheral pterygium, progressive, right eye |
| H11.052 | Peripheral pterygium, progressive, left eye |
| H11.053 | Peripheral pterygium, progressive, bilateral |
| H11.061 | Recurrent pterygium of right eye |
| H11.062 | Recurrent pterygium of left eye |
| H11.063 | Recurrent pterygium of eye, bilateral |
| H16.011 | Central corneal ulcer right eye |
| H16.012 | Central corneal ulcer left eye |
| H16.013 | Central corneal ulcer bilateral |
| H16.021 | Ring corneal ulcer right eye |
| H16.022 | Ring corneal ulcer left eye |
| H16.023 | Ring corneal ulcer bilateral |
| H16.031 | Corneal ulcer with hypopyon, right eye |
| H16.032 | Corneal ulcer with hypopyon, left eye |
| H16.033 | Corneal ulcer with hypopyon, bilateral |
| H16.041 | Marginal corneal ulcer right eye |
| H16.042 | Marginal corneal ulcer left eye |
| H16.043 | Marginal corneal ulcer bilateral |
| H16.051 | Mooren’s corneal ulcer, right eye |
| H16.052 | Mooren’s corneal ulcer, left eye |
| H16.053 | Mooren’s corneal ulcer, bilateral |
| H16.061 | Mycotic corneal ulcer, right eye |
| H16.062 | Mycotic corneal ulcer, left eye |
| H16.063 | Mycotic corneal ulcer, bilateral |
| H16.071 | Perforated corneal ulcer, right eye |
| H16.072 | Perforated corneal ulcer, left eye |
| H16.073 | Perforated corneal ulcer, bilateral |
| H17.01 | Adherent leukoma, right eye |
| H17.02 | Adherent leukoma, left eye |
| H17.03 | Adherent leukoma, bilateral |
| H17.11 | Central corneal opacity, right eye |
| H17.12 | Central corneal opacity, left eye |
| H17.13 | Central corneal opacity, bilateral |
| H18.11 | Bullous keratopathy right eye |
| H18.12 | Bullous keratopathy left eye |
| H18.13 | Bullous keratopathy bilateral |
| H18.211 | Corneal edema secondary to contact lens right eye |

CLINICAL POLICY
Scanning Computerized Ophthalmic Diagnostic Imaging (SCODI)

| Medical indications for 92132 – SCODI, anterior segment | |
|---|---|
| ICD-10-CM Code | Description |
| H18.212 | Corneal edema secondary to contact lens left eye |
| H18.213 | Corneal edema secondary to contact lens bilateral |
| H18.221 | Idiopathic corneal edema right eye |
| H18.222 | Idiopathic corneal edema left eye |
| H18.223 | Idiopathic corneal edema bilateral |
| H18.231 | Secondary corneal edema right eye |
| H18.232 | Secondary corneal edema left eye |
| H18.233 | Secondary corneal edema bilateral |
| H18.51 | Endothelial corneal dystrophy |
| H18.711 | Corneal ectasia, right eye |
| H18.712 | Corneal ectasia, left eye |
| H18.713 | Corneal ectasia, bilateral |
| H18.721 | Corneal staphyloma, right eye |
| H18.722 | Corneal staphyloma, left eye |
| H18.723 | Corneal staphyloma, bilateral |
| H18.731 | Descemetocoele, right eye |
| H18.732 | Descemetocoele, left eye |
| H18.733 | Descemetocoele, bilateral |
| H21.211 | Degeneration of chamber angle, right eye |
| H21.212 | Degeneration of chamber angle, left eye |
| H21.213 | Degeneration of chamber angle, bilateral |
| H21.221 | Degeneration of ciliary body, right eye |
| H21.222 | Degeneration of ciliary body, left eye |
| H21.223 | Degeneration of ciliary body, bilateral |
| H21.231 | Degeneration of iris (pigmentary), right eye |
| H21.232 | Degeneration of iris (pigmentary), left eye |
| H21.233 | Degeneration of iris (pigmentary), bilateral |
| H21.241 | Degeneration of pupillary margin, right eye |
| H21.242 | Degeneration of pupillary margin, left eye |
| H21.243 | Degeneration of pupillary margin, bilateral |
| H21.251 | Iridoschisis, right eye |
| H21.252 | Iridoschisis, left eye |
| H21.253 | Iridoschisis, bilateral |
| H21.261 | Iris atrophy (essential) (progressive), right eye |
| H21.262 | Iris atrophy (essential) (progressive), left eye |
| H21.262 | Iris atrophy (essential) (progressive), bilateral |
| H21.271 | Miotic pupillary cyst, right eye |
| H21.272 | Miotic pupillary cyst, left eye |
| H21.273 | Miotic pupillary cyst, bilateral |
| H21.301 | Idiopathic cysts of iris, ciliary body or anterior chamber, right eye |
| H21.302 | Idiopathic cysts of iris, ciliary body or anterior chamber, left eye |
| H21.303 | Idiopathic cysts of iris, ciliary body or anterior chamber, bilateral |

CLINICAL POLICY
Scanning Computerized Ophthalmic Diagnostic Imaging (SCODI)

| Medical indications for 92132 – SCODI, anterior segment | |
|--|---|
| ICD-10-CM Code | Description |
| H21.311 | Exudative cysts of iris or anterior chamber, right eye |
| H21.312 | Exudative cysts of iris or anterior chamber, left eye |
| H21.313 | Exudative cysts of iris or anterior chamber, bilateral |
| H21.321 | Implantation cysts of iris, ciliary body or anterior chamber, right eye |
| H21.322 | Implantation cysts of iris, ciliary body or anterior chamber, left eye |
| H21.323 | Implantation cysts of iris, ciliary body or anterior chamber, bilateral |
| H21.341 | Primary cyst of pars plana, right eye |
| H21.342 | Primary cyst of pars plana, left eye |
| H21.343 | Primary cyst of pars plana, bilateral |
| H21.351 | Exudative cyst of pars plana, right eye |
| H21.352 | Exudative cyst of pars plana, left eye |
| H21.353 | Exudative cyst of pars plana, bilateral |
| H21.41 | Pupillary membranes, right eye |
| H21.42 | Pupillary membranes, left eye |
| H21.43 | Pupillary membranes, bilateral |
| H21.511 | Anterior synechiae (iris), right eye |
| H21.512 | Anterior synechiae (iris), left eye |
| H21.513 | Anterior synechiae (iris), bilateral |
| H21.521 | Goniosynechiae, right eye |
| H21.522 | Goniosynechiae, left eye |
| H21.523 | Goniosynechiae, bilateral |
| H21.531 | Iridodialysis, right eye |
| H21.532 | Iridodialysis, left eye |
| H21.533 | Iridodialysis, bilateral |
| H21.541 | Posterior synechiae (iris), right eye |
| H21.542 | Posterior synechiae (iris), left eye |
| H21.543 | Posterior synechiae (iris), bilateral |
| H21.551 | Recession of chamber angle, right eye |
| H21.552 | Recession of chamber angle, left eye |
| H21.553 | Recession of chamber angle, bilateral |
| H21.561 | Pupillary abnormality, right eye |
| H21.562 | Pupillary abnormality, left eye |
| H21.563 | Pupillary abnormality, bilateral |
| H21.82 | Plateau iris syndrome (post-iridectomy) (postprocedural) |
| H27.01 | Aphakia, right eye |
| H27.02 | Aphakia, left eye |
| H27.03 | Aphakia, bilateral |
| H27.111 | Subluxation of lens, right eye |
| H27.112 | Subluxation of lens, left eye |
| H27.113 | Subluxation of lens, bilateral |
| H27.121 | Anterior dislocation of lens, right eye |
| H27.122 | Anterior dislocation of lens, left eye |

CLINICAL POLICY
Scanning Computerized Ophthalmic Diagnostic Imaging (SCODI)

| Medical indications for 92132 – SCODI, anterior segment | |
|--|---|
| ICD-10-CM Code | Description |
| H27.123 | Anterior dislocation of lens, bilateral |
| H40.031 | Anatomical narrow angle, right eye |
| H40.032 | Anatomical narrow angle, left eye |
| H40.033 | Anatomical narrow angle, bilateral |
| H40.1211 | Low-tension glaucoma, right eye, mild stage |
| H40.1212 | Low-tension glaucoma, right eye, moderate stage |
| H40.1213 | Low-tension glaucoma, right eye, severe stage |
| H40.1221 | Low-tension glaucoma, left eye, mild stage |
| H40.1222 | Low-tension glaucoma, left eye, moderate stage |
| H40.1223 | Low-tension glaucoma, left eye, severe stage |
| H40.1231 | Low-tension glaucoma, bilateral, mild stage |
| H40.1232 | Low-tension glaucoma, bilateral, moderate stage |
| H40.1233 | Low-tension glaucoma, bilateral, severe stage |
| H40.1311 | Pigmentary glaucoma, right eye, mild stage |
| H40.1312 | Pigmentary glaucoma, right eye, moderate stage |
| H40.1313 | Pigmentary glaucoma, right eye, severe stage |
| H40.1321 | Pigmentary glaucoma, left eye, mild stage |
| H40.1322 | Pigmentary glaucoma, left eye, moderate stage |
| H40.1323 | Pigmentary glaucoma, left eye, severe stage |
| H40.1331 | Pigmentary glaucoma, bilateral, mild stage |
| H40.1332 | Pigmentary glaucoma, bilateral, moderate stage |
| H40.1333 | Pigmentary glaucoma, bilateral, severe stage |
| H40.1411 | Capsular glaucoma with pseudoexfoliation of lens, right eye, mild stage |
| H40.1412 | Capsular glaucoma with pseudoexfoliation of lens, right eye, moderate stage |
| H40.1413 | Capsular glaucoma with pseudoexfoliation of lens, right eye, severe stage |
| H40.1421 | Capsular glaucoma with pseudoexfoliation of lens, left eye, mild stage |
| H40.1422 | Capsular glaucoma with pseudoexfoliation of lens, left eye, moderate stage |
| H40.1423 | Capsular glaucoma with pseudoexfoliation of lens, left eye, severe stage |
| H40.1431 | Capsular glaucoma with pseudoexfoliation of lens, bilateral, mild stage |
| H40.1432 | Capsular glaucoma with pseudoexfoliation of lens, bilateral, moderate stage |
| H40.1433 | Capsular glaucoma with pseudoexfoliation of lens, bilateral, severe stage |
| H40.151 | Residual stage of open-angle glaucoma, right eye |
| H40.152 | Residual stage of open-angle glaucoma, left eye |
| H40.153 | Residual stage of open-angle glaucoma, bilateral |
| H40.211 | Acute angle-closure glaucoma, right eye |
| H40.212 | Acute angle-closure glaucoma, left eye |
| H40.213 | Acute angle-closure glaucoma, bilateral |
| H40.2211 | Chronic-angle-closure glaucoma, right eye, mild stage |

CLINICAL POLICY
Scanning Computerized Ophthalmic Diagnostic Imaging (SCODI)



| Medical indications for 92132 – SCODI, anterior segment | |
|---|--|
| ICD-10-CM Code | Description |
| H40.2212 | Chronic-angle-closure glaucoma, right eye, moderate stage |
| H40.2213 | Chronic-angle-closure glaucoma, right eye, severe stage |
| H40.2221 | Chronic-angle-closure glaucoma, left eye, mild stage |
| H40.2222 | Chronic-angle-closure glaucoma, left eye, moderate stage |
| H40.2223 | Chronic-angle-closure glaucoma, left eye, severe stage |
| H40.2231 | Chronic-angle-closure glaucoma, bilateral, mild stage |
| H40.2232 | Chronic-angle-closure glaucoma, bilateral, moderate stage |
| H40.2233 | Chronic-angle-closure glaucoma, bilateral, severe stage |
| H40.231 | Intermittent angle-closure glaucoma, right eye |
| H40.232 | Intermittent angle-closure glaucoma, left eye |
| H40.233 | Intermittent angle-closure glaucoma, bilateral |
| H40.241 | Residual stage of angle-closure glaucoma, right eye |
| H40.242 | Residual stage of angle-closure glaucoma, left eye |
| H40.243 | Residual stage of angle-closure glaucoma, bilateral |
| H40.31X1 | Glaucoma secondary to eye trauma, right eye, mild stage |
| H40.31X2 | Glaucoma secondary to eye trauma, right eye, moderate stage |
| H40.31X3 | Glaucoma secondary to eye trauma, right eye, severe stage |
| H40.32X1 | Glaucoma secondary to eye trauma, left eye, mild stage |
| H40.32X2 | Glaucoma secondary to eye trauma, left eye, moderate stage |
| H40.32X3 | Glaucoma secondary to eye trauma, left eye, severe stage |
| H40.33X1 | Glaucoma secondary to eye trauma, bilateral , mild stage |
| H40.33X2 | Glaucoma secondary to eye trauma, bilateral , moderate stage |
| H40.33X3 | Glaucoma secondary to eye trauma, bilateral, severe stage |
| H40.41X1 | Glaucoma secondary to eye inflammation, right eye, mild stage |
| H40.41X2 | Glaucoma secondary to eye inflammation, right eye, moderate stage |
| H40.41X3 | Glaucoma secondary to eye inflammation, right eye, severe stage |
| H40.42X1 | Glaucoma secondary to eye inflammation, left eye, mild stage |
| H40.42X2 | Glaucoma secondary to eye inflammation, left eye, moderate stage |
| H40.42X3 | Glaucoma secondary to eye inflammation, left eye, severe stage |
| H40.43X1 | Glaucoma secondary to eye inflammation, bilateral, mild stage |
| H40.43X2 | Glaucoma secondary to eye inflammation, bilateral, moderate stage |
| H40.43X3 | Glaucoma secondary to eye inflammation, bilateral, severe stage |
| H40.51X1 | Glaucoma secondary to other eye disorders, right eye, mild stage |
| H40.51X2 | Glaucoma secondary to other eye disorders, right eye, moderate stage |
| H40.51X3 | Glaucoma secondary to other eye disorders, right eye, severe stage |
| H40.52X1 | Glaucoma secondary to other eye disorders, left eye, mild stage |
| H40.52X2 | Glaucoma secondary to other eye disorders, left eye, moderate stage |
| H40.52X3 | Glaucoma secondary to other eye disorders, left eye, severe stage |
| H40.53X1 | Glaucoma secondary to other eye disorders, bilateral, mild stage |
| H40.53X2 | Glaucoma secondary to other eye disorders, bilateral, moderate stage |
| H40.53X3 | Glaucoma secondary to other eye disorders, bilateral, severe stage |
| H40.61X1 | Glaucoma secondary to drugs, right eye, mild stage |

CLINICAL POLICY
Scanning Computerized Ophthalmic Diagnostic Imaging (SCODI)



| Medical indications for 92132 – SCODI, anterior segment | |
|--|--|
| ICD-10-CM Code | Description |
| H40.61X2 | Glaucoma secondary to drugs, right eye, moderate stage |
| H40.61X3 | Glaucoma secondary to drugs, right eye, severe stage |
| H40.62X1 | Glaucoma secondary to drugs, left eye, mild stage |
| H40.62X2 | Glaucoma secondary to drugs, left eye, moderate stage |
| H40.62X3 | Glaucoma secondary to drugs, left eye, severe stage |
| H40.63X1 | Glaucoma secondary to drugs, bilateral, mild stage |
| H40.63X2 | Glaucoma secondary to drugs, bilateral, moderate stage |
| H40.63X3 | Glaucoma secondary to drugs, bilateral, severe stage |
| H40.811 | Glaucoma with increased episcleral venous pressure, right eye |
| H40.812 | Glaucoma with increased episcleral venous pressure, left eye |
| H40.813 | Glaucoma with increased episcleral venous pressure, bilateral |
| H40.821 | Hypersecretion glaucoma, right eye |
| H40.822 | Hypersecretion glaucoma, left eye |
| H40.823 | Hypersecretion glaucoma, bilateral |
| H40.831 | Aqueous misdirection, right eye |
| H40.832 | Aqueous misdirection, left eye |
| H40.833 | Aqueous misdirection, bilateral |
| H44.611 | Retained (old) magnetic foreign body in anterior chamber, right eye |
| H44.612 | Retained (old) magnetic foreign body in anterior chamber, left eye |
| H44.613 | Retained (old) magnetic foreign body in anterior chamber, bilateral |
| H44.711 | Retained (nonmagnetic) (old) foreign body in anterior chamber, right eye |
| H44.712 | Retained (nonmagnetic) (old) foreign body in anterior chamber, left eye |
| H44.713 | Retained (nonmagnetic) (old) foreign body in anterior chamber, bilateral |
| T85.21XA | Breakdown (mechanical) of intraocular lens, initial encounter |
| T85.21XD | Breakdown (mechanical) of intraocular lens, subsequent encounter |
| T85.21XS | Breakdown (mechanical) of intraocular lens, sequela |
| T85.22XA | Displacement of intraocular lens, initial encounter |
| T85.22XD | Displacement of intraocular lens, subsequent encounter |
| T85.22XS | Displacement of intraocular lens, sequela |
| T85.318A | Breakdown (mechanical) of other ocular prosthetic devices, implants and grafts, initial encounter |
| T85.318D | Breakdown (mechanical) of other ocular prosthetic devices, implants and grafts, subsequent encounter |
| T85.318S | Breakdown (mechanical) of other ocular prosthetic devices, implants and grafts, sequela |
| T85.328A | Displacement of other ocular prosthetic devices, implants and grafts, initial encounter |
| T85.328D | Displacement of other ocular prosthetic devices, implants and grafts, initial encounter |
| T85.79XA | Infection and inflammatory reaction due to other internal prosthetic devices, implants and grafts, initial encounter |

CLINICAL POLICY
Scanning Computerized Ophthalmic Diagnostic Imaging (SCODI)

| Medical indications for 92132 – SCODI, anterior segment | |
|--|--|
| ICD-10-CM Code | Description |
| T85.79XD | Infection and inflammatory reaction due to other internal prosthetic devices, implants and grafts, initial encounter |
| T85.79XS | Infection and inflammatory reaction due to other internal prosthetic devices, implants and grafts, sequela |
| T86.840 | Corneal transplant rejection |
| T86.841 | Corneal transplant failure |
| T86.842 | Corneal transplant infection |

| Medical Indications for 92133 – SCODI, posterior segment, optic nerve | |
|--|---|
| CPT® Codes | Description |
| C69.81 | Malignant neoplasm of overlapping sites of right eye and adnexa |
| C69.82 | Malignant neoplasm of overlapping sites of left eye and adnexa |
| C71.0 | Malignant neoplasm of cerebrum, except lobes and ventricles |
| C71.1 | Malignant neoplasm of frontal lobe |
| C71.2 | Malignant neoplasm of temporal lobe |
| C71.3 | Malignant neoplasm of parietal lobe |
| C71.4 | Malignant neoplasm of occipital lobe |
| C71.5 | Malignant neoplasm of cerebral ventricle |
| C71.6 | Malignant neoplasm of cerebellum |
| C71.7 | Malignana neoplasm of brain stem |
| C71.8 | Malignant neoplasm of overlapping sites of brain |
| C72.0 | Malignant neoplasm of spinal cord |
| C72.1 | Malignant neoplasm of cauda equine |
| C72.21 | Malignant neoplasm of right olfactory nerve |
| C72.22 | Malignant neoplasm of left olfactory nerve |
| C72.31 | Malignant neoplasm of right optic nerve |
| C72.32 | Malignant neoplasm of left optic nerve |
| C72.41 | Malignant neoplasm of right acoustic nerve |
| C72.42 | Malignant neoplasm of left acoustic nerve |
| C75.1 | Malignant neoplasm of pituitary gland |
| C75.2 | Malignant neoplasm of craniopharyngeal duct |
| C75.3 | Malignant neoplasm of pineal gland |
| C79.31 | Secondary malignant neoplasm of brain |
| D18.09 | Hemangioma of other sites |
| D32.0 | Benign neoplasm of cerebral meninges |
| D33.0 | Benign neoplasm of brain, supratentorial |
| D33.1 | Benign neoplasm of brain, infratentorial |
| D33.3 | Benign neoplasm of cranial nerves |
| D35.2 | Benign neoplasm of pituitary gland |
| D35.3 | Benign neoplasm of craniopharyngeal duct |
| D35.4 | Benign neoplasm of pineal gland |

CLINICAL POLICY
Scanning Computerized Ophthalmic Diagnostic Imaging (SCODI)

| Medical Indications for 92133 – SCODI, posterior segment, optic nerve | |
|--|---|
| CPT® Codes | Description |
| D42.0 | Neoplasm of uncertain behavior of cerebral meninges |
| D42.1 | Neoplasm of uncertain behavior of spinal meninges |
| D43.0 | Neoplasm of uncertain behavior of brain, supratentorial |
| D43.1 | Neoplasm of uncertain behavior of brain, infratentorial |
| D43.4 | Neoplasm of uncertain behavior of spinal cord |
| D44.3 | Neoplasm of uncertain behavior of pituitary gland |
| D44.4 | Neoplasm of uncertain behavior of crainopharyngeal duct |
| D44.5 | Neoplasm of uncertain behavior of pineal gland |
| H05.011 | Cellulitis of right orbit |
| H05.012 | Cellulitis of left orbit |
| H05.013 | Cellulitis of bilateral orbits |
| H05.021 | Osteomyelitis of right orbit |
| H05.022 | Osteomyelitis of left orbit |
| H05.023 | Osteomyelitis of bilateral orbits |
| H05.031 | Periostitis of right orbit |
| H05.032 | Periostitis of left orbit |
| H05.033 | Periostitis of bilateral orbits |
| H05.041 | Tenonitis of right orbit |
| H05.042 | Tenonitis of left orbit |
| H05.043 | Tenonitis of bilateral orbits |
| H05.111 | Granuloma of right orbit |
| H05.112 | Granuloma of left orbit |
| H05.113 | Granuloma of bilateral orbits |
| H05.021 | Orbital myositis, right orbit |
| H05.022 | Orbital myositis, left orbit |
| H05.023 | Orbital myositis, bilateral |
| H05.211 | Displacement (lateral) of globe, right eye |
| H05.212 | Displacement (lateral) of globe, left eye |
| H05.213 | Displacement (lateral) of globe, bilateral |
| H05.221 | Edema or right orbit |
| H05.223 | Edema or bilateral orbits |
| H05.231 | Hemorrhage or right orbit |
| H05.232 | Hemorrhage or left orbit |
| H05.233 | Hemorrhage of bilateral orbits |
| H05.241 | Constant exophthalmos, right eye |
| H05.242 | Constant exophthalmos, left eye |
| H05.243 | Constant exophthalmos, bilateral |
| H05.251 | Intermittent exophthalmos, right eye |
| H05.252 | Intermittent exophthalmos, left eye |
| H05.253 | Intermittent exophthalmos, bilateral |
| H05.261 | Pulsating exophthalmos, right eye |
| H05.262 | Pulsating exophthalmos, left eye |

CLINICAL POLICY
Scanning Computerized Ophthalmic Diagnostic Imaging (SCODI)

| Medical Indications for 92133 – SCODI, posterior segment, optic nerve | |
|--|---|
| CPT® Codes | Description |
| H05.263 | Pulsating exophthalmos, bilateral |
| H05.311 | Atrophy of right orbit |
| H05.312 | Atrophy of left orbit |
| H05.313 | Atrophy of bilateral orbits |
| H05.321 | Deformity of right orbit due to bone disease |
| H05.322 | Deformity of left orbit due to bone disease |
| H05.323 | Deformity of bilateral orbits due to bone disease |
| H05.331 | Deformity of right orbit due to trauma or surgery |
| H05.332 | Deformity of left orbit due to trauma or surgery |
| H05.333 | Deformity of bilateral orbits due to trauma or surgery |
| H05.341 | Enlargement of right orbit |
| H05.342 | Enlargement of left orbit |
| H05.343 | Enlargement of bilateral orbits |
| H05.351 | Exostosis of right orbit |
| H05.352 | Exostosis of left orbit |
| H05.353 | Enlargement of bilateral orbits |
| H05.411 | Enophthalmos due to atrophy of orbital tissue, right eye |
| H05.412 | Enophthalmos due to atrophy of orbital tissue, left eye |
| H05.412 | Enophthalmos due to atrophy of orbital tissue, bilateral |
| H05.421 | Enophthalmos due to trauma or surgery, right eye |
| H05.422 | Enophthalmos due to trauma or surgery, left eye |
| H05.423 | Enophthalmos due to trauma or surgery, bilateral |
| H05.51 | Retained (old) foreign body following penetrating wound of right orbit |
| H05.52 | Retained (old) foreign body following penetrating wound of left orbit |
| H05.53 | Retained (old) foreign body following penetrating wound of bilateral orbits |
| H05.811 | Cyst of right orbit |
| H05.812 | Cyst of left orbit |
| H05.813 | Cyst of bilateral orbits |
| H05.821 | Myopathy of extraocular muscles, right orbit |
| H05.822 | Myopathy of extraocular muscles, left orbit |
| H05.823 | Myopathy of extraocular muscles, bilateral |
| H40.011 | Open angle with borderline findings, low risk, right eye |
| H40.012 | Open angle with borderline findings, low risk, left eye |
| H40.013 | Open angle with borderline findings, low risk, bilateral |
| H40.021 | Open angle with borderline findings, high risk, right eye |
| H40.022 | Open angle with borderline findings, high risk, left eye |
| H40.023 | Open angle with borderline findings, high risk, bilateral |
| H40.031 | Anatomical narrow angle, right eye |
| H40.032 | Anatomical narrow angle, left eye |
| H40.033 | Anatomical narrow angle, bilateral |
| H40.041 | Steroid responder, right eye |
| H40.042 | Steroid responder, left eye |

Scanning Computerized Ophthalmic Diagnostic Imaging (SCODI)

| Medical Indications for 92133 – SCODI, posterior segment, optic nerve | |
|---|---|
| CPT® Codes | Description |
| H40.043 | Steroid responder, bilateral |
| H40.051 | Ocular hypertension, right eye |
| H40.052 | Ocular hypertension, left eye |
| H40.053 | Ocular hypertension, bilateral |
| H40.061 | Primary angle closure without glaucoma damage, right eye |
| H40.062 | Primary angle closure without glaucoma damage, left eye |
| H40.063 | Primary angle closure without glaucoma damage, bilateral |
| H40.1111 | Primary open-angle glaucoma, right eye, mild stage |
| H40.1112 | Primary open-angle glaucoma, right eye, moderate stage |
| H40.1113 | Primary open-angle glaucoma, right eye, severe stage |
| H40.1121 | Primary open-angle glaucoma, left eye, mild stage |
| H40.1122 | Primary open-angle glaucoma, left eye, moderate stage |
| H40.1123 | Primary open-angle glaucoma, left eye, severe stage |
| H40.1131 | Primary open-angle glaucoma, bilateral, mild stage |
| H40.1132 | Primary open angle glaucoma, bilateral, moderate stage |
| H40.1133 | Primary open angle glaucoma, bilateral, severe stage |
| H40.1211 | Low-tension glaucoma, right eye, mild stage |
| H40.1212 | Low-tension glaucoma, right eye, moderate stage |
| H40.1213 | Low-tension glaucoma, right eye, severe stage |
| H40.1221 | Low-tension glaucoma, left eye, mild stage |
| H40.1222 | Low-tension glaucoma, left eye, moderate stage |
| H40.1223 | Low-tension glaucoma, left eye, severe stage |
| H40.1231 | Low-tension glaucoma, bilateral, mild stage |
| H40.1232 | Low-tension glaucoma, bilateral, moderate stage |
| H40.1233 | Low-tension glaucoma, bilateral, severe stage |
| H40.1311 | Pigmentary glaucoma, right eye, mild stage |
| H40.1312 | Pigmentary glaucoma, right eye, moderate stage |
| H40.1313 | Pigmentary glaucoma, right eye, severe stage |
| H40.1321 | Pigmentary glaucoma, left eye, mild stage |
| H40.1322 | Pigmentary glaucoma, left eye, moderate stage |
| H40.1323 | Pigmentary glaucoma, left eye, severe stage |
| H40.1331 | Pigmentary glaucoma, bilateral, mild stage |
| H40.1332 | Pigmentary glaucoma, bilateral, moderate stage |
| H40.1333 | Pigmentary glaucoma, bilateral, severe stage |
| H40.1411 | Capsular glaucoma with pseudoexfoliation of lens, right eye, mild stage |
| H40.1412 | Capsular glaucoma with pseudoexfoliation of lens, right eye, moderate stage |
| H40.1413 | Capsular glaucoma with pseudoexfoliation of lens, right eye, severe stage |
| H40.1421 | Capsular glaucoma with pseudoexfoliation of lens, left eye, mild stage |
| H40.1422 | Capsular glaucoma with pseudoexfoliation of lens, left eye, moderate stage |
| H40.1423 | Capsular glaucoma with pseudoexfoliation of lens, left eye, severe stage |
| H40.1431 | Capsular glaucoma with pseudoexfoliation of lens, bilateral, mild stage |

| Medical Indications for 92133 – SCODI, posterior segment, optic nerve | |
|---|---|
| CPT® Codes | Description |
| H40.1432 | Capsular glaucoma with pseudoexfoliation of lens, bilateral, moderate stage |
| H40.1433 | Capsular glaucoma with pseudoexfoliation of lens, bilateral, severe stage |
| H40.151 | Residual stage of open-angle glaucoma, right eye |
| H40.152 | Residual stage of open-angle glaucoma, left eye |
| H40.153 | Residual stage of open-angle glaucoma, bilateral |
| H40.211 | Acute angle-closure glaucoma, right eye |
| H40.212 | Acute angle-closure glaucoma, left eye |
| H40.213 | Acute angle-closure glaucoma, bilateral |
| H40.2211 | Chronic angle-closure glaucoma, right eye, mild stage |
| H40.2212 | Chronic angle-closure glaucoma, right eye, moderate stage |
| H40.2213 | Chronic angle-closure glaucoma, right eye, severe stage |
| H40.2221 | Chronic angle-closure glaucoma, left eye, mild stage |
| H40.2222 | Chronic angle-closure glaucoma, left eye, moderate stage |
| H40.2223 | Chronic angle-closure glaucoma, left eye, severe stage |
| H40.2231 | Chronic angle-closure glaucoma, bilateral, mild stage |
| H40.2232 | Chronic angle-closure glaucoma, bilateral, moderate stage |
| H40.2233 | Chronic angle-closure glaucoma, bilateral, severe stage |
| H40.231 | Intermittent angle-closure glaucoma, right eye |
| H40.232 | Intermittent angle-closure glaucoma, left eye |
| H40.233 | Intermittent angle-closure glaucoma, bilateral |
| H40.241 | Residual stage of angle-closure glaucoma, right eye |
| H40.242 | Residual stage of angle-closure glaucoma, left eye |
| H40.243 | Residual stage of angle-closure glaucoma, bilateral |
| H40.31X1 | Glaucoma secondary to eye trauma, right eye, mild stage |
| H40.31X2 | Glaucoma secondary to eye trauma, right eye, moderate stage |
| H40.31X3 | Glaucoma secondary to eye trauma, right eye, severe stage |
| H40.32X1 | Glaucoma secondary to eye trauma, left eye, mild stage |
| H40.32X2 | Glaucoma secondary to eye trauma, left eye, moderate stage |
| H40.32X3 | Glaucoma secondary to eye trauma, left eye, severe stage |
| H40.33X1 | Glaucoma secondary to eye trauma, bilateral, mild stage |
| H40.33X2 | Glaucoma secondary to eye trauma, bilateral, moderate stage |
| H40.33X3 | Glaucoma secondary to eye trauma, bilateral, severe stage |
| H40.41X1 | Glaucoma secondary to eye inflammation, right eye, mild stage |
| H40.41X2 | Glaucoma secondary to eye inflammation, right eye, moderate stage |
| H40.41X3 | Glaucoma secondary to eye inflammation, right eye, severe stage |
| H40.42X1 | Glaucoma secondary to eye inflammation, left eye, mild stage |
| H40.42X2 | Glaucoma secondary to eye inflammation, left eye, moderate stage |
| H40.42X3 | Glaucoma secondary to eye inflammation, left eye, severe stage |
| H40.43X1 | Glaucoma secondary to eye inflammation, bilateral, mild stage |
| H40.43X2 | Glaucoma secondary to eye inflammation, bilateral, moderate stage |
| H40.43X3 | Glaucoma secondary to eye inflammation, bilateral, severe stage |
| H40.51X1 | Glaucoma secondary to other eye disorders, right eye, mild stage |

Scanning Computerized Ophthalmic Diagnostic Imaging (SCODI)

| Medical Indications for 92133 – SCODI, posterior segment, optic nerve | |
|---|--|
| CPT® Codes | Description |
| H40.51X2 | Glaucoma secondary to other eye disorders, right eye, moderate stage |
| H40.51X3 | Glaucoma secondary to other eye disorders, right eye, severe stage |
| H40.52X1 | Glaucoma secondary to other eye disorders, left eye, mild stage |
| H40.52X2 | Glaucoma secondary to other eye disorders, left eye, moderate stage |
| H40.52X3 | Glaucoma secondary to other eye disorders, left eye, severe stage |
| H40.53X1 | Glaucoma secondary to other eye disorders, bilateral, mild stage |
| H40.53X2 | Glaucoma secondary to other eye disorders, bilateral, moderate stage |
| H40.53X3 | Glaucoma secondary to other eye disorders, bilateral, severe stage |
| H40.61X1 | Glaucoma secondary to drugs, right eye, mild stage |
| H40.61X2 | Glaucoma secondary to drugs, right eye, moderate stage |
| H40.61X3 | Glaucoma secondary to drugs, right eye, severe stage |
| H40.62X1 | Glaucoma secondary to drugs, left eye, mild stage |
| H40.62X2 | Glaucoma secondary to drugs, left eye, moderate stage |
| H40.62X3 | Glaucoma secondary to drugs, left eye, severe stage |
| H40.63X1 | Glaucoma secondary to drugs, bilateral, mild stage |
| H40.63X2 | Glaucoma secondary to drugs, bilateral, moderate stage |
| H40.63X3 | Glaucoma secondary to drugs, bilateral, severe stage |
| H40.811 | Glaucoma with increased episcleral venous pressure, right eye |
| H40.812 | Glaucoma with increased episcleral venous pressure, left eye |
| H40.813 | Glaucoma with increased episcleral venous pressure, bilateral |
| H40.821 | Hypersecretion glaucoma, right eye |
| H40.822 | Hypersecretion glaucoma, left eye |
| H40.823 | Hypersecretion glaucoma, bilateral |
| H40.831 | Aqueous misdirection, right eye |
| H40.832 | Aqueous misdirection, left eye |
| H40.833 | Aqueous misdirection, bilateral |
| H44.411 | Flat anterior chamber hypotony of right eye |
| H44.412 | Flat anterior chamber hypotony of left eye |
| H44.413 | Flat anterior chamber hypotony, bilateral |
| H44.421 | Hypotony of right eye due to ocular fistula |
| H44.422 | Hypotony of left eye due to ocular fistula |
| H44.423 | Hypotony of bilateral eyes due to ocular fistula |
| H44.431 | Hypotony of right eye due to other ocular disorders |
| H44.432 | Hypotony of left eye due to other ocular disorders |
| H44.433 | Hypotony of bilateral eyes due to other ocular disorders |
| H44.441 | Primary hypotony of right eye |
| H44.442 | Primary hypotony of left eye |
| H44.443 | Primary hypotony of eye, bilateral |
| H47.011 | Ischemic optic neuropathy, right eye |
| H47.012 | Ischemic optic neuropathy, left eye |
| H47.013 | Ischemic optic neuropathy, bilateral |
| H47.021 | Hemorrhage in optic nerve sheath, right eye |

CLINICAL POLICY
Scanning Computerized Ophthalmic Diagnostic Imaging (SCODI)

| Medical Indications for 92133 – SCODI, posterior segment, optic nerve | |
|--|---|
| CPT® Codes | Description |
| H47.022 | Hemorrhage in optic nerve sheath, left eye |
| H47.023 | Hemorrhage in optic nerve sheath, bilateral |
| H47.031 | Optic nerve hypoplasia, right eye |
| H47.032 | Optic nerve hypoplasia, left eye |
| H47.033 | Optic nerve hypoplasia, bilateral |
| H47.11 | Papilledema associated with increased intracranial pressure |
| H47.12 | Papilledema associated with decreased ocular pressure |
| H47.13 | Papilledema associated with retinal disorder |
| H47.141 | Foster-Kennedy syndrome, right eye |
| H47.142 | Foster-Kennedy syndrome, left eye |
| H47.143 | Foster-Kennedy syndrome, bilateral |
| H47.231 | Glaucomatous optic atrophy, right eye |
| H47.232 | Glaucomatous optic atrophy, left eye |
| H47.233 | Glaucomatous optic atrophy, bilateral |
| H47.311 | Coloboma of optic disc, right eye |
| H47.312 | Coloboma of optic disc, left eye |
| H47.313 | Coloboma of optic disc, bilateral |
| H47.321 | Drusen of optic disc, right eye |
| H47.322 | Drusen of optic disc, left eye |
| H47.323 | Drusen of optic disc, bilateral |
| H47.331 | Pseudopapilledema of optic disc, right eye |
| H47.332 | Pseudopapilledema of optic disc, left eye |
| H47.333 | Pseudopapilledema of optic disc, bilateral |
| H47.41 | Disorders of optic chiasm in (due to) inflammatory disorders |
| H47.42 | Disorders of optic chiasm in (due to) neoplasm |
| H47.43 | Disorders of optic chiasm in (due to) vascular disorders |
| H47.511 | Disorders of visual pathways in (due to) inflammatory disorders, right side |
| H47.512 | Disorders of visual pathways in (due to) inflammatory disorders, left side |
| H47.521 | Disorders of visual pathways in (due to) neoplasm, right side |
| H47.522 | Disorders of visual pathways in (due to) neoplasm, left side |
| H47.531 | Disorders of visual pathways in (due to) vascular disorders, right side |
| H47.532 | Disorders of visual pathways in (due to) vascular disorders, left side |
| H53.411 | Scotoma involving central area, right eye |
| H53.412 | Scotoma involving central area, left eye |
| H53.413 | Scotoma involving central area, bilateral |
| H53.421 | Scotoma of blind spot area, right eye |
| H53.422 | Scotoma of blind spot area, left eye |
| H53.423 | Scotoma of blind spot area, bilateral |
| H53.431 | Sector or arcuate defects, right eye |
| H53.432 | Sector or arcuate defects, left eye |
| H53.433 | Sector or arcuate defects, bilateral |
| H53.451 | Other localized visual field defect, right eye |

Scanning Computerized Ophthalmic Diagnostic Imaging (SCODI)

| Medical Indications for 92133 – SCODI, posterior segment, optic nerve | |
|---|--|
| CPT® Codes | Description |
| H53.452 | Other localized visual field defect, left eye |
| H53.453 | Other localized visual field defect, bilateral |
| H53.481 | Generalized contraction of visual field, right eye |
| H53.482 | Generalized contraction of visual field, left eye |
| H53.483 | Generalized contraction of visual field, bilateral |
| Q14.2 | Congenital malformation of optic disc |
| Q14.8 | Other congenital malformations of posterior segment of eye |
| Q15.0 | Congenital glaucoma |
| S04.041A | Injury of visual cortex, right side, initial encounter |
| S04.041D | Injury of visual cortex right side, subsequent encounter |
| S04.041S | Injury of visual cortex, right side, sequela |
| S04.042A | Injury of visual cortex, left side, initial encounter |
| S04.042D | Injury of visual cortex, left side, subsequent encounter |
| S04.042S | Injury of visual cortex, left side, sequela |
| S05.11XA | Contusion of eyeball and orbital tissues, right eye, initial encounter |
| S05.11XD | Contusion of eyeball and orbital tissues, right eye, subsequent encounter |
| S05.11XS | Contusion of eyeball and orbital tissues, right eye, sequela |
| S05.12XA | Contusion of eyeball and orbital tissues, left eye, initial encounter |
| S05.12XD | Contusion of eyeball and orbital tissues, left eye, subsequent encounter |
| S05.12XS | Contusion of eyeball and orbital tissues, left eye, sequela |
| S05.21XA | Ocular laceration and rupture with prolapse or loss of intraocular tissue right eye initial encounter |
| S05.21XD | Ocular laceration and rupture with prolapse or loss of intraocular tissue right eye subsequent encounter |
| S05.21XS | Ocular laceration and rupture with prolapse or loss of intraocular tissue right eye sequela |
| S05.22XA | Ocular laceration and rupture with prolapse or loss of intraocular tissue left eye initial encounter |
| S05.22XD | Ocular laceration and rupture with prolapse or loss of intraocular tissue left eye subsequent encounter |
| S05.22XS | Ocular laceration and rupture with prolapse or loss of intraocular tissue left eye sequela |
| S05.31XA | Ocular laceration without prolapse or loss of intraocular tissue right eye initial encounter |
| S05.31XD | Ocular laceration without prolapse or loss of intraocular tissue right eye subsequent encounter |
| S05.31XS | Ocular laceration without prolapse or loss of intraocular tissue right eye sequela |
| S05.32XA | Ocular laceration without prolapse or loss of intraocular tissue left eye initial encounter |
| S05.32XD | Ocular laceration without prolapse or loss of intraocular tissue left eye subsequent encounter |

CLINICAL POLICY
Scanning Computerized Ophthalmic Diagnostic Imaging (SCODI)



| Medical Indications for 92133 – SCODI, posterior segment, optic nerve | |
|--|--|
| CPT® Codes | Description |
| S05.32XS | Ocular laceration without prolapse or loss of intraocular tissue left eye sequela |
| S05.41XA | Penetrating wound of orbit with or without foreign body right eye initial encounter |
| S05.41XD | Penetrating wound of orbit with or without foreign body right eye subsequent encounter |
| S05.41XS | Penetrating wound of orbit with or without foreign body right eye sequela |
| S05.42XA | Penetrating wound of orbit with or without foreign body left eye initial encounter |
| S05.42XD | Penetrating wound of orbit with or without foreign body left eye subsequent encounter |
| S05.42XS | Penetrating wound of orbit with or without foreign body left eye sequela |
| S05.51XA | Penetrating wound with foreign body of right eyeball initial encounter |
| S05.51XD | Penetrating wound with foreign body of right eyeball subsequent encounter |
| S05.51XS | Penetrating wound with foreign body of right eyeball sequela |
| S05.52XA | Penetrating wound with foreign body of left eyeball initial encounter |
| S05.52XD | Penetrating wound with foreign body of left eyeball subsequent encounter |
| S05.52XS | Penetrating wound with foreign body of left eyeball sequela |
| S05.61XA | Penetrating wound without foreign body right eye initial encounter |
| S05.61XD | Penetrating wound without foreign body right eye subsequent encounter |
| S05.61XS | Penetrating wound without foreign body right eye sequela |
| S05.62XA | Penetrating wound without foreign body left eye initial encounter |
| S05.62XD | Penetrating wound without foreign body left eye subsequent encounter |
| S05.62XS | Penetrating wound without foreign body left eye sequela |
| S05.71XA | Avulsion of right eye initial encounter |
| S05.71XD | Avulsion of right eye subsequent encounter |
| S05.71XS | Avulsion of right eye sequela |
| S05.72XA | Avulsion of left eye initial encounter |
| S05.72XD | Avulsion of left eye subsequent encounter |
| S05.72XS | Avulsion of left eye sequela |

| Medical Indications for 92134 – SCODI, posterior segment, retina | |
|---|---|
| CPT® Codes | Description |
| B39.5 | Histoplasmosis duboisii |
| C69.31 | Malignant neoplasm of right choroid |
| C69.32 | Malignant neoplasm of left choroid |
| C69.81 | Malignant neoplasm of overlapping sites of right eye and adnexa |
| C69.82 | Malignant neoplasm of overlapping sites of left eye and adnexa |
| D31.31 | Benign neoplasm of right choroid |
| D31.32 | Benign neoplasm of left choroid |

CLINICAL POLICY
Scanning Computerized Ophthalmic Diagnostic Imaging (SCODI)



| Medical Indications for 92134 – SCODI, posterior segment, retina | |
|---|--|
| CPT® Codes | Description |
| E08.3211 | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, right eye |
| E08.3212 | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, left eye |
| E08.3213 | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, bilateral |
| E08.3291 | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema, right eye |
| E08.3292 | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema, left eye |
| E08.3293 | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema, bilateral |
| E08.3311 | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, right eye |
| E08.3312 | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, left eye |
| E08.3313 | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, bilateral |
| E08.3391 | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema, right eye |
| E08.3392 | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema, left eye |
| E08.3393 | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema, bilateral |
| E08.3411 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, right eye |
| E08.3412 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, left eye |
| E08.3413 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, bilateral |
| E08.3491 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema, right eye |
| E08.3492 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema, left eye |
| E08.3493 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema, bilateral |
| E08.3511 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, right eye |
| E08.3512 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, left eye |
| E08.3513 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, bilateral |

CLINICAL POLICY
Scanning Computerized Ophthalmic Diagnostic Imaging (SCODI)



| Medical Indications for 92134 – SCODI, posterior segment, retina | |
|---|--|
| CPT® Codes | Description |
| E08.3521 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye |
| E08.3522 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye |
| E08.3523 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral |
| E08.3531 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye |
| E08.3532 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye |
| E08.3533 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral |
| E08.3541 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye |
| E08.3542 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye |
| E08.3543 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral |
| E08.3551 | Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy, right eye |
| E08.3552 | Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy, left eye |
| E08.3553 | Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy, bilateral |
| E08.3591 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, right eye |
| E08.3592 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, left eye |
| E08.3593 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, bilateral |
| E08.37X1 | Diabetes mellitus due to underlying condition with diabetic macular edema, resolved following treatment, right eye |
| E08.37X2 | Diabetes mellitus due to underlying condition with diabetic macular edema, resolved following treatment, left eye |
| E08.37X3 | Diabetes mellitus due to underlying condition with diabetic macular edema, resolved following treatment, bilateral |

CLINICAL POLICY
Scanning Computerized Ophthalmic Diagnostic Imaging (SCODI)

| Medical Indications for 92134 – SCODI, posterior segment, retina | |
|---|---|
| CPT® Codes | Description |
| E09.3211 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye |
| E09.3212 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye |
| E09.3213 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral |
| E09.3291 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye |
| E09.3292 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye |
| E09.3293 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral |
| E09.3311 | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye |
| E09.3312 | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye |
| E09.3313 | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral |
| E09.3391 | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye |
| E09.3392 | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye |
| E09.3393 | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral |
| E09.3411 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye |
| E09.3412 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye |
| E09.3413 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral |
| E09.3491 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye |
| E09.3492 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye |
| E09.3493 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral |
| E09.3511 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye |
| E09.3512 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye |

CLINICAL POLICY
Scanning Computerized Ophthalmic Diagnostic Imaging (SCODI)

| Medical Indications for 92134 – SCODI, posterior segment, retina | |
|---|---|
| CPT® Codes | Description |
| E09.3513 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral |
| E09.3521 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye |
| E09.3522 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye |
| E09.3523 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral |
| E09.3531 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye |
| E09.3532 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye |
| E09.3533 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral |
| E09.3541 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye |
| E09.3542 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye |
| E09.3543 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral |
| E09.3551 | Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy, right eye |
| E09.3552 | Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy, left eye |
| E09.3553 | Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy, bilateral |
| E09.3591 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye |
| E09.3592 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye |
| E09.3593 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral |
| E09.37X1 | Drug or chemical induced diabetes mellitus with diabetic macular edema, resolved following treatment, right eye |
| E09.37X2 | Drug or chemical induced diabetes mellitus with diabetic macular edema, resolved following treatment, left eye |

Scanning Computerized Ophthalmic Diagnostic Imaging (SCODI)

| Medical Indications for 92134 – SCODI, posterior segment, retina | |
|--|---|
| CPT® Codes | Description |
| E09.37X3 | Drug or chemical induced diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral |
| E10.3211 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye |
| E10.3212 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye |
| E10.3213 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral |
| E10.3291 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye |
| E10.3292 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye |
| E10.3293 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral |
| E10.3311 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye |
| E10.3312 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye |
| E10.3313 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral |
| E10.3391 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye |
| E10.3392 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye |
| E10.3393 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral |
| E10.3411 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye |
| E10.3412 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye |
| E10.3413 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral |
| E10.3491 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye |
| E10.3492 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye |
| E10.3493 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral |
| E10.3511 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye |

CLINICAL POLICY
Scanning Computerized Ophthalmic Diagnostic Imaging (SCODI)



| Medical Indications for 92134 – SCODI, posterior segment, retina | |
|---|---|
| CPT® Codes | Description |
| E10.3512 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye |
| E10.3513 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral |
| E10.3521 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye |
| E10.3522 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye |
| E10.3523 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral |
| E10.3531 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye |
| E10.3532 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye |
| E10.3533 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral |
| E10.3541 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye |
| E10.3542 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye |
| E10.3543 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral |
| E10.3551 | Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, right eye |
| E10.3552 | Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, left eye |
| E10.3553 | Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, bilateral |
| E10.3591 | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye |
| E10.3592 | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye |
| E10.3593 | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral |
| E10.37X1 | Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, right eye |
| E10.37X2 | Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, left eye |

CLINICAL POLICY
Scanning Computerized Ophthalmic Diagnostic Imaging (SCODI)



| Medical Indications for 92134 – SCODI, posterior segment, retina | |
|---|---|
| CPT® Codes | Description |
| E10.37X3 | Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral |
| E11.3211 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye |
| E11.3212 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye |
| E11.3213 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral |
| E11.3291 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye |
| E11.3292 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye |
| E11.3293 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral |
| E11.3311 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye |
| E11.3312 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye |
| E11.3313 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral |
| E11.3391 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye |
| E11.3392 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye |
| E11.3393 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral |
| E11.3411 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye |
| E11.3412 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye |
| E11.3413 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral |
| E11.3491 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye |
| E11.3492 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye |
| E11.3493 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral |
| E11.3511 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye |

CLINICAL POLICY
Scanning Computerized Ophthalmic Diagnostic Imaging (SCODI)



| Medical Indications for 92134 – SCODI, posterior segment, retina | |
|---|---|
| CPT® Codes | Description |
| E11.3512 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye |
| E11.3513 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral |
| E11.3521 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye |
| E11.3522 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye |
| E11.3523 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral |
| E11.3531 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye |
| E11.3532 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye |
| E11.3533 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral |
| E11.3541 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye |
| E11.3542 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye |
| E11.3543 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral |
| E11.3551 | Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, right eye |
| E11.3552 | Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, left eye |
| E11.3553 | Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, bilateral |
| E11.3591 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye |
| E11.3592 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye |
| E11.3593 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral |
| E11.37X1 | Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, right eye |
| E11.37X2 | Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, left eye |

CLINICAL POLICY
Scanning Computerized Ophthalmic Diagnostic Imaging (SCODI)



| Medical Indications for 92134 – SCODI, posterior segment, retina | |
|---|--|
| CPT® Codes | Description |
| E11.37X3 | Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral |
| E13.3211 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye |
| E13.3212 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye |
| E13.3213 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral |
| E13.3291 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye |
| E13.3292 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye |
| E13.3293 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral |
| E13.3311 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye |
| E13.3312 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye |
| E13.3313 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral |
| E13.3391 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye |
| E13.3392 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye |
| E13.3393 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral |
| E13.3411 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye |
| E13.3412 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye |
| E13.3413 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral |
| E13.3491 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye |
| E13.3392 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye |
| E13.3393 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral |
| E13.3411 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye |

CLINICAL POLICY
Scanning Computerized Ophthalmic Diagnostic Imaging (SCODI)



| Medical Indications for 92134 – SCODI, posterior segment, retina | |
|---|--|
| CPT® Codes | Description |
| E13.3412 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye |
| E13.3413 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral |
| E13.3491 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye |
| E13.3492 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye |
| E13.3493 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral |
| E13.3511 | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye |
| E13.3512 | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye |
| E13.3513 | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral |
| E13.3521 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye |
| E13.3522 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye |
| E13.3523 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral |
| E13.3531 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye |
| E13.3532 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye |
| E13.3533 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral |
| E13.3541 | Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye |
| E13.3542 | Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye |
| E13.3543 | Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral |
| E13.3551 | Other specified diabetes mellitus with stable proliferative diabetic retinopathy, right eye |
| E13.3552 | Other specified diabetes mellitus with stable proliferative diabetic retinopathy, left eye |

CLINICAL POLICY
Scanning Computerized Ophthalmic Diagnostic Imaging (SCODI)

| Medical Indications for 92134 – SCODI, posterior segment, retina | |
|---|--|
| CPT® Codes | Description |
| E13.3553 | Other specified diabetes mellitus with stable proliferative diabetic retinopathy, bilateral |
| E13.3591 | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye |
| E13.3592 | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye |
| E13.3593 | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral |
| E13.37X1 | Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, right eye |
| E13.37X2 | Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, left eye |
| E13.37X3 | Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral |
| G45.3 | Amaurosis fugax |
| H05.011 | Cellulitis of right orbit |
| H05.012 | Cellulitis of left orbit |
| H05.013 | Cellulitis of bilateral orbits |
| H05.021 | Osteomyelitis of right orbit |
| H05.022 | Osteomyelitis of left orbit |
| H05.023 | Osteomyelitis of bilateral orbits |
| H05.031 | Periostitis of right orbit |
| H05.032 | Periostitis of left orbit |
| H05.033 | Periostitis of bilateral orbits |
| H05.041 | Tenonitis of right orbit |
| H05.042 | Tenonitis of left orbit |
| H05.043 | Tenonitis of bilateral orbits |
| H05.111 | Granuloma of right orbit |
| H05.112 | Granuloma of left orbit |
| H05.113 | Granuloma of bilateral orbits |
| H05.121 | Orbital myositis, right orbit |
| H05.122 | Orbital myositis, left orbit |
| H05.123 | Orbital myositis, bilateral |
| H05.211 | Displacement (lateral) of globe, right eye |
| H05.212 | Displacement (lateral) of globe, left eye |
| H05.213 | Displacement (lateral) of globe, bilateral |
| H05.221 | Edema of right orbit |
| H05.222 | Edema of left orbit |
| H05.223 | Edema of bilateral orbit |

CLINICAL POLICY
Scanning Computerized Ophthalmic Diagnostic Imaging (SCODI)

| Medical Indications for 92134 – SCODI, posterior segment, retina | |
|---|---|
| CPT® Codes | Description |
| H05.231 | Hemorrhage of right orbit |
| H05.232 | Hemorrhage of left orbit |
| H05.233 | Hemorrhage of bilateral orbit |
| H05.241 | Constant exophthalmos, right eye |
| H05.242 | Constant exophthalmos, left eye |
| H05.243 | Constant exophthalmos, bilateral |
| H05.251 | Intermittent exophthalmos, right eye |
| H05.252 | Intermittent exophthalmos, left eye |
| H05.253 | Intermittent exophthalmos, bilateral |
| H05.261 | Pulsating exophthalmos, right eye |
| H05.262 | Pulsating exophthalmos, left eye |
| H05.263 | Pulsating exophthalmos, bilateral |
| H05.311 | Atrophy of right orbit |
| H05.312 | Atrophy of left orbit |
| H05.313 | Atrophy of bilateral orbit |
| H05.321 | Deformity of right orbit due to bone disease |
| H05.322 | Deformity of left orbit due to bone disease |
| H05.323 | Deformity of bilateral orbits due to bone disease |
| H05.331 | Deformity of right orbit due to trauma or surgery |
| H05.332 | Deformity of left orbit due to trauma or surgery |
| H05.333 | Deformity of bilateral orbits due to trauma or surgery |
| H05.341 | Enlargement of right orbit |
| H05.342 | Enlargement of left orbit |
| H05.343 | Enlargement of bilateral orbits |
| H05.351 | Exostosis of right orbit |
| H05.352 | Exostosis of left orbit |
| H05.353 | Exostosis of bilateral orbits |
| H05.411 | Enophthalmos due to atrophy of orbital tissue, right eye |
| H05.412 | Enophthalmos due to atrophy of orbital tissue, left eye |
| H05.413 | Enophthalmos due to atrophy of orbital tissue, bilateral |
| H05.421 | Enophthalmos due to trauma or surgery, right eye |
| H05.422 | Enophthalmos due to trauma or surgery, left eye |
| H05.423 | Enophthalmos due to trauma or surgery, bilateral |
| H05.51 | Retained (old) foreign body following penetrating wound of right orbit |
| H05.52 | Retained (old) foreign body following penetrating wound of left orbit |
| H05.53 | Retained (old) foreign body following penetrating wound of bilateral orbits |
| H05.811 | Cyst of right orbit |
| H05.812 | Cyst of left orbit |
| H05.813 | Cyst of bilateral orbits |
| H15.821 | Localized anterior staphyloma, right eye |
| H15.822 | Localized anterior staphyloma, left eye |
| H15.823 | Localized anterior staphyloma, bilateral |

Scanning Computerized Ophthalmic Diagnostic Imaging (SCODI)

| Medical Indications for 92134 – SCODI, posterior segment, retina | |
|--|--|
| CPT® Codes | Description |
| H15.831 | Staphyloma posticum, right eye |
| H15.832 | Staphyloma posticum, left eye |
| H15.833 | Staphyloma posticum, bilateral |
| H15.841 | Scleral ectasia, right eye |
| H15.842 | Scleral ectasia, left eye |
| H15.843 | Scleral ectasia, bilateral |
| H15.851 | Ring staphyloma, right eye |
| H15.852 | Ring staphyloma, left eye |
| H15.853 | Ring staphyloma, bilateral |
| H30.011 | Focal chorioretinal inflammation, juxtapapillary, right eye |
| H30.012 | Focal chorioretinal inflammation, juxtapapillary, left eye |
| H30.013 | Focal chorioretinal inflammation, juxtapapillary, bilateral |
| H30.021 | Focal chorioretinal inflammation of posterior pole, right eye |
| H30.022 | Focal chorioretinal inflammation of posterior pole, left eye |
| H30.023 | Focal chorioretinal inflammation of posterior pole, bilateral |
| H30.031 | Focal chorioretinal inflammation, peripheral, right eye |
| H30.032 | Focal chorioretinal inflammation, peripheral, left eye |
| H30.033 | Focal chorioretinal inflammation, peripheral, bilateral |
| H30.041 | Focal chorioretinal inflammation, macular or paramacular, right eye |
| H30.042 | Focal chorioretinal inflammation, macular or paramacular, left eye |
| H30.043 | Focal chorioretinal inflammation, macular or paramacular, bilateral |
| H30.101 | Unspecified disseminated chorioretinal inflammation, right eye |
| H30.102 | Unspecified disseminated chorioretinal inflammation, left eye |
| H30.103 | Unspecified disseminated chorioretinal inflammation, bilateral |
| H30.111 | Disseminated chorioretinal inflammation of posterior pole, right eye |
| H30.112 | Disseminated chorioretinal inflammation of posterior pole, left eye |
| H30.113 | Disseminated chorioretinal inflammation of posterior pole, bilateral |
| H30.121 | Disseminated chorioretinal inflammation, peripheral right eye |
| H30.122 | Disseminated chorioretinal inflammation, peripheral, left eye |
| H30.123 | Disseminated chorioretinal inflammation, peripheral, bilateral |
| H30.131 | Disseminated chorioretinal inflammation, generalized, right eye |
| H30.132 | Disseminated chorioretinal inflammation, generalized, left eye |
| H30.133 | Disseminated chorioretinal inflammation, generalized, bilateral |
| H30.141 | Acute posterior multifocal placoid pigment epitheliopathy, right eye |
| H30.142 | Acute posterior multifocal placoid pigment epitheliopathy, left eye |
| H30.143 | Acute posterior multifocal placoid pigment epitheliopathy, bilateral |
| H30.21 | Posterior cyclitis, right eye |
| H30.22 | Posterior cyclitis, left eye |
| H30.23 | Posterior cyclitis, bilateral |
| H30.811 | Harada's disease, right eye |
| H30.812 | Harada's disease, left eye |
| H30.813 | Harada's disease, bilateral |

CLINICAL POLICY
Scanning Computerized Ophthalmic Diagnostic Imaging (SCODI)

| Medical Indications for 92134 – SCODI, posterior segment, retina | |
|---|---|
| CPT® Codes | Description |
| H31.011 | Macula scars of posterior pole (postinflammatory) (post-traumatic), right eye |
| H31.012 | Macula scars of posterior pole (postinflammatory) (post-traumatic), left eye |
| H31.013 | Macula scars of posterior pole (postinflammatory) (post-traumatic), bilateral |
| H31.021 | Solar retinopathy, right eye |
| H31.022 | Solar retinopathy, left eye |
| H31.023 | Solar retinopathy, bilateral |
| H31.111 | Age-related choroidal atrophy, right eye |
| H31.112 | Age-related choroidal atrophy, left eye |
| H31.113 | Age-related choroidal atrophy, bilateral |
| H31.121 | Diffuse secondary atrophy of choroid, right eye |
| H31.122 | Diffuse secondary atrophy of choroid, left eye |
| H31.123 | Diffuse secondary atrophy of choroid, bilateral |
| H31.20 | Hereditary choroidal dystrophy, unspecified |
| H31.21 | Choroideremia |
| H31.22 | Choroidal dystrophy (central areolar) (generalized) (peripapillary) |
| H31.23 | Gyrate atrophy, choroid |
| H31.321 | Choroidal rupture, right eye |
| H31.322 | Choroidal rupture, left eye |
| H31.323 | Choroidal rupture, bilateral |
| H31.411 | Hemorrhagic choroidal detachment, right eye |
| H31.412 | Hemorrhagic choroidal detachment, left eye |
| H31.413 | Hemorrhagic choroidal detachment, bilateral |
| H31.421 | Serous choroidal detachment, right eye |
| H31.422 | Serous choroidal detachment, left eye |
| H31.423 | Serous choroidal detachment, bilateral |
| H32. | Chorioretinal disorders in diseases classified elsewhere |
| H33.011 | Retinal detachment with single break, right eye |
| H33.012 | Retinal detachment with single break, left eye |
| H33.013 | Retinal detachment with single break, bilateral |
| H33.021 | Retinal detachment with multiple breaks, right eye |
| H33.022 | Retinal detachment with multiple breaks, left eye |
| H33.023 | Retinal detachment with multiple breaks, bilateral |
| H33.031 | Retinal detachment with giant retinal tear, right eye |
| H33.032 | Retinal detachment with giant retinal tear, left eye |
| H33.033 | Retinal detachment with giant retinal tear, bilateral |
| H33.041 | Retinal detachment with retinal dialysis, right eye |
| H33.042 | Retinal detachment with retinal dialysis, left eye |
| H33.043 | Retinal detachment with retinal dialysis, bilateral |
| H33.051 | Total retinal detachment, right eye |
| H33.052 | Total retinal detachment, left eye |
| H33.053 | Total retinal detachment, bilateral |

CLINICAL POLICY
Scanning Computerized Ophthalmic Diagnostic Imaging (SCODI)

| Medical Indications for 92134 – SCODI, posterior segment, retina | |
|---|---|
| CPT® Codes | Description |
| H33.111 | Cyst of ora serrata right eye |
| H33.112 | Cyst of ora serrata left eye |
| H33.113 | Cyst of ora serrata bilateral |
| H33.191 | Other retinoschisis and retinal cysts, right eye |
| H33.192 | Other retinoschisis and retinal cysts, left eye |
| H33.193 | Other retinoschisis and retinal cysts, bilateral |
| H33.21 | Serous retinal detachment, right eye |
| H33.22 | Serous retinal detachment, left eye |
| H33.23 | Serous retinal detachment, bilateral |
| H33.41 | Traction detachment of retina, right eye |
| H33.42 | Traction detachment of retina, left eye |
| H33.43 | Traction detachment of retina, bilateral |
| H34.01 | Transient retinal artery occlusion, right eye |
| H34.02 | Transient retinal artery occlusion, left eye |
| H34.03 | Transient retinal artery occlusion, bilateral |
| H34.11 | Central retinal artery occlusion, right eye |
| H34.12 | Central retinal artery occlusion, left eye |
| H34.13 | Central retinal artery occlusion, bilateral |
| H34.211 | Partial retinal artery occlusion, right eye |
| H34.212 | Partial retinal artery occlusion, left eye |
| H34.213 | Partial retinal artery occlusion, bilateral |
| H34.231 | Retinal artery branch occlusion, right eye |
| H34.232 | Retinal artery branch occlusion, left eye |
| H34.233 | Retinal artery branch occlusion, bilateral |
| H34.8110 | Central retinal vein occlusion, right eye, with macular edema |
| H34.8111 | Central retinal vein occlusion, right eye, with retinal neovascularization |
| H34.8112 | Central retinal vein occlusion, right eye, stable |
| H34.8120 | Central retinal vein occlusion, left eye, with macular edema |
| H34.8121 | Central retinal vein occlusion, left eye with retinal neovascularization |
| H34.8122 | Central retinal vein occlusion, left eye, stable |
| H34.8130 | Central retinal vein occlusion, bilateral, with macular edema |
| H34.8131 | Central retinal vein occlusion, bilateral, with retinal neovascularization |
| H34.8132 | Central retinal vein occlusion, bilateral, stable |
| H34.821 | Venous engorgement, right eye |
| H34.822 | Venous engorgement, left eye |
| H34.823 | Venous engorgement, bilateral |
| H34.8310 | Tributary (branch) retinal vein occlusion, right eye, with macular edema |
| H34.8311 | Tributary (branch) retinal vein occlusion, right eye, with retinal neovascularization |
| H34.8312 | Tributary (branch) retinal vein occlusion, right eye, stable |
| H34.8320 | Tributary (branch) retinal vein occlusion, left eye, with macular edema |

CLINICAL POLICY
Scanning Computerized Ophthalmic Diagnostic Imaging (SCODI)

| Medical Indications for 92134 – SCODI, posterior segment, retina | |
|---|---|
| CPT® Codes | Description |
| H34.8321 | Tributary (branch) retinal vein occlusion, left eye, with retinal neovascularization |
| H34.8322 | Tributary (branch) retinal vein occlusion, left eye, stable |
| H34.8330 | Tributary (branch) retinal vein occlusion, bilateral, with macular edema |
| H34.8331 | Tributary (branch) retinal vein occlusion, bilateral, with retinal neovascularization |
| H34.8332 | Tributary (branch) retinal vein occlusion, bilateral, stable |
| H35.011 | Changes in retinal vascular appearance, right eye |
| H35.012 | Changes in retinal vascular appearance, left eye |
| H35.013 | Changes in retinal vascular appearance, bilateral |
| H35.021 | Exudative retinopathy, right eye |
| H35.022 | Exudative retinopathy, left eye |
| H35.023 | Exudative retinopathy, bilateral |
| H35.031 | Hypertensive retinopathy, right eye |
| H35.032 | Hypertensive retinopathy, left eye |
| H35.033 | Hypertensive retinopathy, bilateral |
| H35.041 | Retinal micro-aneurysms, unspecified, right eye |
| H35.042 | Retinal micro-aneurysms, unspecified, left eye |
| H35.043 | Retinal micro-aneurysms, unspecified, bilateral |
| H35.051 | Retinal neovascularization, unspecified, right eye |
| H35.052 | Retinal neovascularization, unspecified, left eye |
| H35.053 | Retinal neovascularization, unspecified, bilateral |
| H35.061 | Retinal vasculitis, right eye |
| H35.062 | Retinal vasculitis, left eye |
| H35.063 | Retinal vasculitis, bilateral |
| H35.071 | Retinal telangiectasis, right eye |
| H35.072 | Retinal telangiectasis, left eye |
| H35.073 | Retinal telangiectasis, bilateral |
| H35.21 | Other non-diabetic proliferative retinopathy right eye |
| H35.22 | Other non-diabetic proliferative retinopathy left eye |
| H35.23 | Other non-diabetic proliferative retinopathy bilateral |
| H35.3111 | Nonexudative age-related macular degeneration, right eye, early dry stage |
| H35.3112 | Nonexudative age-related macular degeneration, right eye, intermediate dry stage |
| H35.3113 | Nonexudative age-related macular degeneration, right eye, advanced atrophic without subfoveal involvement |
| H35.3114 | Nonexudative age-related macular degeneration, right eye, advanced atrophic with subfoveal involvement |
| H35.3121 | Nonexudative age-related macular degeneration, left eye, early dry stage |
| H35.3122 | Nonexudative age-related macular degeneration, left eye, intermediate dry stage |

CLINICAL POLICY
Scanning Computerized Ophthalmic Diagnostic Imaging (SCODI)

| Medical Indications for 92134 – SCODI, posterior segment, retina | |
|---|---|
| CPT® Codes | Description |
| H35.3123 | Nonexudative age-related macular degeneration, left eye, advanced atrophic without subfoveal involvement |
| H35.3124 | Nonexudative age-related macular degeneration, left eye, advanced atrophic with subfoveal involvement |
| H35.3131 | Nonexudative age-related macular degeneration, bilateral, early dry stage |
| H35.3132 | Nonexudative age-related macular degeneration, bilateral, intermediate dry stage |
| H35.3133 | Nonexudative age-related macular degeneration, bilateral, advanced atrophic without subfoveal involvement |
| H35.3134 | Nonexudative age-related macular degeneration, bilateral, advanced atrophic with subfoveal involvement |
| H35.3211 | Exudative age-related macular degeneration, right eye with active choroidal neovascularization |
| H35.3212 | Exudative age-related macular degeneration, right eye, with inactive choroidal neovascularization |
| H35.3213 | Exudative age-related macular degeneration, right eye, with inactive scar |
| H35.3221 | Exudative age-related macular degeneration, left eye with active choroidal neovascularization |
| H35.3222 | Exudative age-related macular degeneration, left eye, with inactive choroidal neovascularization |
| H35.3223 | Exudative age-related macular degeneration, left eye, with inactive scar |
| H35.3231 | Exudative age-related macular degeneration, bilateral, with active choroidal neovascularization |
| H35.3232 | Exudative age-related macular degeneration, bilateral, with inactive choroidal neovascularization |
| H35.3233 | Exudative age-related macular degeneration, bilateral, with inactive scar |
| H35.33 | Angioid streaks of macula |
| H35.341 | Macular cyst, hole, or pseudohole, right eye |
| H35.342 | Macular cyst, hole, or pseudohole, left eye |
| H35.343 | Macular cyst, hole, or pseudohole, bilateral |
| H35.351 | Cystoid macular degeneration, right eye |
| H35.352 | Cystoid macular degeneration, left eye |
| H35.353 | Cystoid macular degeneration, bilateral |
| H35.361 | Drusen (degenerative) of macula, right eye |
| H35.362 | Drusen (degenerative) of macula, left eye |
| H35.363 | Drusen (degenerative) of macula, bilateral |
| H35.371 | Puckering of macula, right eye |
| H35.372 | Puckering of macula, left eye |
| H35.373 | Puckering of macula, bilateral |
| H35.381 | Toxic maculopathy, right eye |
| H35.382 | Toxic maculopathy, left eye |
| H35.383 | Toxic maculopathy, bilateral |

CLINICAL POLICY
Scanning Computerized Ophthalmic Diagnostic Imaging (SCODI)

| Medical Indications for 92134 – SCODI, posterior segment, retina | |
|---|---|
| CPT® Codes | Description |
| H35.411 | Lattice degeneration of retina, right eye |
| H35.412 | Lattice degeneration of retina, left eye |
| H35.413 | Lattice degeneration of retina, bilateral |
| H35.421 | Microcystoid degeneration of retina, right eye |
| H35.422 | Microcystoid degeneration of retina, left eye |
| H35.423 | Microcystoid degeneration of retina, bilateral |
| H35.431 | Paving stone degeneration of retina, right eye |
| H35.432 | Paving stone degeneration of retina, left eye |
| H35.433 | Paving stone degeneration of retina, bilateral |
| H35.441 | Age-related reticular degeneration of retina, right eye |
| H35.442 | Age-related reticular degeneration of retina, left eye |
| H35.443 | Age-related reticular degeneration of retina, bilateral |
| H35.451 | Secondary pigmentary degeneration, right eye |
| H35.452 | Secondary pigmentary degeneration, left eye |
| H35.453 | Secondary pigmentary degeneration, bilateral |
| H35.461 | Secondary vitreoretinal degeneration, right eye |
| H35.462 | Secondary vitreoretinal degeneration, left eye |
| H35.463 | Secondary vitreoretinal degeneration, bilateral |
| H35.51 | Vitreoretinal dystrophy |
| H35.52 | Pigmentary retinal dystrophy |
| H35.53 | Other dystrophies primarily involving the sensory retina |
| H35.54 | Dystrophies primarily involving the retinal pigment epithelium |
| H35.61 | Retinal hemorrhage, right eye |
| H35.62 | Retinal hemorrhage, left eye |
| H35.63 | Retinal hemorrhage, bilateral |
| H35.711 | Central serous chorioretinopathy, right eye |
| H35.712 | Central serous chorioretinopathy, left eye |
| H35.713 | Central serous chorioretinopathy, bilateral |
| H35.721 | Serous detachment of retinal pigment epithelium, right eye |
| H35.722 | Serous detachment of retinal pigment epithelium, left eye |
| H35.723 | Serous detachment of retinal pigment epithelium, bilateral |
| H35.731 | Hemorrhagic detachment of retinal pigment epithelium, right eye |
| H35.732 | Hemorrhagic detachment of retinal pigment epithelium, left eye |
| H35.733 | Hemorrhagic detachment of retinal pigment epithelium, bilateral |
| H35.81 | Retinal edema |
| H35.82 | Retinal ischemia |
| H43.01 | Vitreous prolapse, right eye |
| H43.02 | Vitreous prolapse, left eye |
| H43.03 | Vitreous prolapse, bilateral |
| H43.11 | Vitreous hemorrhage, right eye |
| H43.12 | Vitreous hemorrhage, left eye |
| H43.13 | Vitreous hemorrhage, bilateral |

CLINICAL POLICY
Scanning Computerized Ophthalmic Diagnostic Imaging (SCODI)

| Medical Indications for 92134 – SCODI, posterior segment, retina | |
|---|--|
| CPT® Codes | Description |
| H43.21 | Crystalline deposits in vitreous body, right eye |
| H43.22 | Crystalline deposits in vitreous body, left eye |
| H43.23 | Crystalline deposits in vitreous body, bilateral |
| H43.311 | Vitreous membranes and strands, right eye |
| H43.312 | Vitreous membranes and strands, left eye |
| H43.313 | Vitreous membranes and strands, bilateral |
| H43.811 | Vitreous degeneration, right eye |
| H43.812 | Vitreous degeneration, left eye |
| H43.813 | Vitreous degeneration, bilateral |
| H43.821 | Vitreomacular adhesion, right eye |
| H43.822 | Vitreomacular adhesion, left eye |
| H43.823 | Vitreomacular adhesion, bilateral |
| H44.131 | Sympathetic uveitis, right eye |
| H44.132 | Sympathetic uveitis, left eye |
| H44.133 | Sympathetic uveitis, bilateral |
| H44.21 | Degenerative myopia, right eye |
| H44.22 | Degenerative myopia, left eye |
| H44.23 | Degenerative myopia, bilateral |
| H44.2A1 | Degenerative myopia with choroidal neovascularization, right eye |
| H44.2A2 | Degenerative myopia with choroidal neovascularization, left eye |
| H44.2A3 | Degenerative myopia with choroidal neovascularization, bilateral |
| H44.2B1 | Degenerative myopia with macular hole, right eye |
| H44.2B2 | Degenerative myopia with macular hole, left eye |
| H44.2B3 | Degenerative myopia with macular hole, bilateral |
| H44.2C1 | Degenerative myopia with retinal detachment, right eye |
| H44.2C2 | Degenerative myopia with retinal detachment, left eye |
| H44.2C3 | Degenerative myopia with retinal detachment, bilateral |
| H44.2D1 | Degenerative myopia with foveoschisis, right eye |
| H44.2D2 | Degenerative myopia with foveoschisis, left eye |
| H44.2D3 | Degenerative myopia with foveoschisis, bilateral |
| H44.2E1 | Degenerative myopia with other maculopathy, right eye |
| H44.2E2 | Degenerative myopia with other maculopathy, left eye |
| H44.2E3 | Degenerative myopia with other maculopathy, bilateral |
| H44.411 | Flat anterior chamber hypotony of right eye |
| H44.412 | Flat anterior chamber hypotony of left eye |
| H44.413 | Flat anterior chamber hypotony, bilateral |
| H44.421 | Hypotony of right eye due to ocular fistula |
| H44.422 | Hypotony of left eye due to ocular fistula |
| H44.423 | Hypotony of bilateral eyes due to ocular fistula |
| H44.431 | Hypotony of right eye due to other ocular disorders |
| H44.432 | Hypotony of left eye due to other ocular disorders |
| H44.433 | Hypotony of bilateral eyes due to other ocular disorders |

CLINICAL POLICY
Scanning Computerized Ophthalmic Diagnostic Imaging (SCODI)



| Medical Indications for 92134 – SCODI, posterior segment, retina | |
|--|---|
| CPT® Codes | Description |
| H44.441 | Primary hypotony of right eye |
| H44.442 | Primary hypotony of left eye |
| H44.443 | Primary hypotony of eye, bilateral |
| H59.031 | Cystoid macular edema following cataract surgery, right eye |
| H59.032 | Cystoid macular edema following cataract surgery, left eye |
| H59.033 | Cystoid macular edema following cataract surgery, bilateral |
| M06.00- M06.9* | Rheumatoid arthritis without rheumatoid factor, unspecified site – Rheumatoid arthritis, unspecified |
| M32.0 – M32.9* | Drug-induced systemic lupus erythematosus – Systemic lupus erythematosus, unspecified |
| Q14.8 | Other congenital malformations of posterior segment of eye |
| Q14.9 | Congenital malformation of posterior segment of eye unspecified |
| S05.11XA | Contusion of eyeball and orbital tissues, right eye, initial encounter |
| S05.11XD | Contusion of eyeball and orbital tissues, right eye, subsequent encounter |
| S05.11XS | Contusion of eyeball and orbital tissues, right eye, sequela |
| S05.12XA | Contusion of eyeball and orbital tissues, left eye, initial encounter |
| S05.12XD | Contusion of eyeball and orbital tissues, left eye, subsequent encounter |
| S05.12XS | Contusion of eyeball and orbital tissues, left eye, sequela |
| Z03.89* | Encounter for observation for other suspected diseases and conditions ruled out |
| Z09.* | Encounter for follow-up examination after completed treatment for conditions other than malignant neoplasm |
| Z79.899* | Other long term (current) drug therapy |

*M06. and M32. codes must be submitted with Z03.89, Z09. or Z79.899.

*Use Z03.89 only when testing is necessary for baseline prior to initiation of high risk medication

*Z03.89, Z09. and Z79.899 must be used in conjunction with the appropriate systemic disease.

| Reviews, Revisions, and Approvals | Date | Approval Date |
|--|---------|---------------|
| Annual Review | 12/2019 | 12/2019 |
| Converted to new template; Minor wording changes for clarity | 04/2020 | 06/2020 |

References

1. American Academy of ophthalmology, “The Glaucoma Suspect”. Clinical Education. 2018. <https://www.aao.org/bcscsnippetdetail.aspx?id=3267989c-d06f-4faf-8144-fc05139f80cc>.
2. Gabriele ML, WollsteinG, Ishikawa H, et al. Optical Coherence Tomography: History, Current Status and Laboratory Work. Investigative Ophthalmology and Visual Science 2011 April; 52(5): 2425-2436, PMC, U.S. National Library of Medicine, National Institutes of Health.
3. National Government Services, Inc. Local Coverage Determination L34380, Scanning Computerized Ophthalmic Diagnostic Imaging, Massachusetts.

CLINICAL POLICY

Scanning Computerized Ophthalmic Diagnostic Imaging (SCODI)

4. First Coast Service Options, Inc. Local Coverage Determination L33751, Scanning Computerized Ophthalmic Diagnostic Imaging, Florida.
5. Novitas Solutions, Inc. Local Coverage Determination L35038, Scanning Computerized Ophthalmic Diagnostic Imaging, Pennsylvania.

Important Reminder

This clinical policy has been developed by appropriately experienced and licensed health care professionals based on a review and consideration of currently available generally accepted standards of medical practice; peer-reviewed medical literature; government agency/program approval status; evidence-based guidelines and positions of leading national health professional organizations; views of physicians practicing in relevant clinical areas affected by this clinical policy; and other available clinical information. The Health Plan makes no representations and accepts no liability with respect to the content of any external information used or relied upon in developing this clinical policy. This clinical policy is consistent with standards of medical practice current at the time that this clinical policy was approved. “Health Plan” means a health plan that has adopted this clinical policy and that is operated or administered, in whole or in part, by Envolve Vision, Inc., or any of such health plan’s affiliates, as applicable.

The purpose of this clinical policy is to provide a guide to medical necessity, which is a component of the guidelines used to assist in making coverage decisions and administering benefits. It does not constitute a contract or guarantee regarding payment or results. Coverage decisions and the administration of benefits are subject to all terms, conditions, exclusions and limitations of the coverage documents (e.g., evidence of coverage, certificate of coverage, policy, contract of insurance, etc.), as well as to state and federal requirements and applicable Health Plan-level administrative policies and procedures.

This clinical policy is effective as of the date determined by the Health Plan. The date of posting may not be the effective date of this clinical policy. This clinical policy may be subject to applicable legal and regulatory requirements relating to provider notification. If there is a discrepancy between the effective date of this clinical policy and any applicable legal or regulatory requirement, the requirements of law and regulation shall govern. The Health Plan retains the right to change, amend or withdraw this clinical policy, and additional clinical policies may be developed and adopted as needed, at any time.

This clinical policy does not constitute medical advice, medical treatment or medical care. It is not intended to dictate to providers how to practice medicine. Providers are expected to exercise professional medical judgment in providing the most appropriate care, and are solely responsible for the medical advice and treatment of members. This clinical policy is not intended to recommend treatment for members. Members should consult with their treating physician in connection with diagnosis and treatment decisions.

Providers referred to in this clinical policy are independent contractors who exercise independent judgment and over whom the Health Plan has no control or right of control. Providers are not agents or employees of the Health Plan.

CLINICAL POLICY

Scanning Computerized Ophthalmic Diagnostic Imaging (SCODI)

This clinical policy is the property of the Health Plan. Unauthorized copying, use, and distribution of this clinical policy or any information contained herein are strictly prohibited. Providers, members and their representatives are bound to the terms and conditions expressed herein through the terms of their contracts. Where no such contract exists, providers, members and their representatives agree to be bound by such terms and conditions by providing services to members and/or submitting claims for payment for such services.

Note: For Medicaid members, when state Medicaid coverage provisions conflict with the coverage provisions in this clinical policy, state Medicaid coverage provisions take precedence. Please refer to the state Medicaid manual for any coverage provisions pertaining to this clinical policy.

Note: For Medicare members, to ensure consistency with the Medicare National Coverage Determinations (NCD) and Local Coverage Determinations (LCD), all applicable NCDs, LCDs, and Medicare Coverage Articles should be reviewed prior to applying the criteria set forth in this clinical policy. Refer to the CMS website at <http://www.cms.gov> for additional information.

©2018 Envolve, Inc. All rights reserved. All materials are exclusively owned by Envolve and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise published without the prior written permission of Envolve. You may not alter or remove any trademark, copyright or other notice contained herein.