

## **Clinical Policy: Lisdexamphetamine Dimesylate (Arynta, Vyvanse)**

Reference Number: CP.PMN.121

Effective Date: 02.01.09

Last Review Date: 02.26

Line of Business: Medicaid

[Revision Log](#)

See [Important Reminder](#) at the end of this policy for important regulatory and legal information.

### **Description**

Lisdexamphetamine dimesylate (Arynta<sup>™</sup>, Vyvanse<sup>®</sup>) is a central nervous stimulant.

### **FDA Approved Indication(s)**

Vyvanse and Arynta are indicated for the treatment of:

- Attention deficit hyperactivity disorder (ADHD) in adults and pediatric patients 6 years and older
- Moderate to severe binge eating disorder (BED) in adults

Limitation(s) of use:

- Arynta: Pediatric patients with ADHD younger than 6 years of age experienced more long-term weight loss than patients 6 years and older.
- The use of Vyvanse is not recommended in pediatric patients younger than 6 years of age because they had higher plasma exposure and a higher incidence of adverse reactions (e.g., weight loss) than patients 6 years and older at the same dosage.
- Vyvanse and Arynta are not indicated for weight loss. Use of other sympathomimetic drugs for weight loss have been associated with serious cardiovascular adverse events. The safety and effectiveness of Vyvanse and Arynta for the treatment of obesity have not been established.

### **Policy/Criteria**

*Provider must submit documentation (such as office chart notes, lab results or other clinical information) supporting that member has met all approval criteria.*

It is the policy of health plans affiliated with Centene Corporation<sup>®</sup> that Arynta, lisdexamphetamine, and Vyvanse are **medically necessary** when the following criteria are met:

#### **I. Initial Approval Criteria**

##### **A. Binge Eating Disorder (must meet all):**

1. Diagnosis of BED;
2. Age  $\geq$  18 years;
3. Prescribed by or in consultation with a psychiatrist;
4. Failure of  $\geq$  3 month trial of cognitive behavioral therapy (CBT) with supporting documentation;
5. Failure of  $\geq$  3 month trial of topiramate at up to maximally indicated doses, unless contraindicated or clinically significant adverse effects are experienced;

**CLINICAL POLICY****Lisdexamfetamine Dimesylate**

6. Failure of  $\geq 6$  week trial of one of the following, unless clinically significant adverse effects are experienced or all are contraindicated: citalopram, sertraline, escitalopram;
7. If request is for Arynta, member must use generic lisdexamfetamine, unless contraindicated, clinically significant adverse effects are experienced, or documentation supports inability to swallow capsules or chew tablets;
8. If request is for brand Vyvanse, member must use generic lisdexamfetamine, unless contraindicated or clinically significant adverse effects are experienced;
9. Dose does not exceed any of the following (a and b):
  - a. 70 mg per day;
  - b. One of the following (i or ii):
    - i. Vyvanse: 1 capsule or 2 chewable tablets per day;
    - ii. Arynta: 3 bottles per 30 days.

**Approval duration: 12 months**

**B. Attention Deficit Hyperactivity Disorder (must meet all):**

1. Diagnosis of ADHD;
2. Age  $\geq 6$  years;
3. Failure of one extended release amphetamine at up to maximally indicated doses, unless clinically significant adverse effects are experienced or all are contraindicated;
4. Failure of one extended release methylphenidate at up to maximally indicated doses, unless clinically significant adverse effects are experienced or all are contraindicated;
5. If request is for Arynta, member must use generic lisdexamfetamine, unless contraindicated, clinically significant adverse effects are experienced, or documentation supports inability to swallow capsules or chew tablets;
6. If request is for brand Vyvanse, member must use generic lisdexamfetamine, unless contraindicated or clinically significant adverse effects are experienced;
7. Dose does not exceed any of the following (a and b):
  - a. 70 mg per day;
  - b. One of the following (i or ii):
    - i. Vyvanse: 1 capsule or 2 chewable tablets per day;
    - ii. Arynta: 3 bottles per 30 days.

**Approval duration: 12 months**

**C. Other diagnoses/indications (must meet 1 or 2):**

1. If this drug has recently (within the last 6 months) undergone a label change (e.g., newly approved indication, age expansion, new dosing regimen) that is not yet reflected in this policy, refer to one of the following policies (a or b):
  - a. For drugs on the formulary (commercial, health insurance marketplace) or PDL (Medicaid), the no coverage criteria policy for the relevant line of business: CP.PMN.255 for Medicaid; or
  - b. For drugs NOT on the formulary (commercial, health insurance marketplace) or PDL (Medicaid), the non-formulary policy for the relevant line of business: CP.PMN.16 for Medicaid; or
2. If the requested use (e.g., diagnosis, age, dosing regimen) is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized) AND

**CLINICAL POLICY****Lisdexamfetamine Dimesylate**

criterion 1 above does not apply, refer to the off-label use policy for the relevant line of business: CP.PMN.53 for Medicaid.

**II. Continued Therapy****A. All Indications in Section I (must meet all):**

1. Member meets one of the following (a or b):
  - a. Currently receiving medication via Centene benefit or member has previously met initial approval criteria;
  - b. Member is currently receiving medication and is enrolled in a state and product with continuity of care regulations (*refer to state specific addendums for CC.PHARM.03A and CC.PHARM.03B*);
2. Member is responding positively response to therapy;
3. If request is for Arynta, member must use generic lisdexamfetamine, unless contraindicated, clinically significant adverse effects are experienced, or documentation supports inability to swallow capsules or chew tablets;
4. If request is for brand Vyvanse, member must use generic lisdexamfetamine, unless contraindicated or clinically significant adverse effects are experienced;
5. If request is for a dose increase, new dose does not exceed any of the following (a and b):
  - a. 70 mg per day;
  - b. One of the following (i or ii):
    - i. Vyvanse: 1 capsule or 2 chewable tablets per day;
    - ii. Arynta: 3 bottles per 30 days.

**Approval duration: 12 months**

**B. Other diagnoses/indications (must meet 1 or 2):**

1. If this drug has recently (within the last 6 months) undergone a label change (e.g., newly approved indication, age expansion, new dosing regimen) that is not yet reflected in this policy, refer to one of the following policies (a or b):
  - a. For drugs on the formulary (commercial, health insurance marketplace) or PDL (Medicaid), the no coverage criteria policy for the relevant line of business: CP.PMN.255 for Medicaid; or
  - b. For drugs NOT on the formulary (commercial, health insurance marketplace) or PDL (Medicaid), the non-formulary policy for the relevant line of business: CP.PMN.16 for Medicaid; or
2. If the requested use (e.g., diagnosis, age, dosing regimen) is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized) AND criterion 1 above does not apply, refer to the off-label use policy for the relevant line of business: CP.PMN.53 for Medicaid.

**III. Diagnoses/Indications for which coverage is NOT authorized:**

- A. Non-FDA approved indications, which are not addressed in this policy, unless there is sufficient documentation of efficacy and safety according to the off label use policy – CP.PMN.53 for Medicaid or evidence of coverage documents.

## CLINICAL POLICY

### Lisdexamfetamine Dimesylate

#### IV. Appendices/General Information

##### Appendix A: Abbreviation/Acronym Key

ADHD: attention deficit hyperactivity disorder

BED: binge eating disorder

CBT: cognitive behavioral therapy

FDA: Food and Drug Administration

MAO: monoamine oxidase

##### Appendix B: Therapeutic Alternatives

This table provides a listing of preferred alternative therapy recommended in the approval criteria. The drugs listed here may not be a formulary agent and may require prior authorization.

Drug Name	Dosing Regimen	Dose Limit/ Maximum Dose
topiramate (Topamax <sup>®</sup> )	Varies	400 mg/day
citalopram (Celexa <sup>®</sup> )	Varies	40 mg/day
sertraline (Zoloft <sup>®</sup> )	Varies	200 mg/day
escitalopram (Lexapro <sup>®</sup> )	Varies	20 mg/day
methylphenidate extended release (Ritalin LA <sup>®</sup> , Concerta <sup>®</sup> , Metadate CD <sup>®</sup> )	Concerta: 18 - 36 mg PO QD Ritalin LA, Metadate CD: 20 mg PO QD	Concerta: 72 mg/day Ritalin LA, Metadate CD: 60 mg/day
amphetamine (Adderall XR <sup>®</sup> )	Patients 6-17 years: 10 mg PO QD Adults: 20 mg PO QD	30 mg/day

Therapeutic alternatives are listed as Brand name<sup>®</sup> (generic) when the drug is available by brand name only and generic (Brand name<sup>®</sup>) when the drug is available by both brand and generic.

##### Appendix C: Contraindications/Boxed Warnings

- Contraindication(s): hypersensitivity; use with monoamine oxidase (MAO) inhibitor, or within 14 days of last MAO inhibitor dose
- Boxed warning(s): abuse, misuse, and addiction

#### V. Dosage and Administration

Indication	Dosing Regimen	Maximum Dose
ADHD	30 mg to 70 mg PO QAM	70 mg per day
BED	50 mg to 70 mg PO QAM	70 mg per day

#### VI. Product Availability

Drug Name	Availability
Lisdexamfetamine dimesylate (Vyvanse)	<ul style="list-style-type: none"> <li>• Capsules: 10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg, 70 mg</li> <li>• Chewable tablets: 10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg</li> </ul>
Lisdexamfetamine dimesylate (Arynta)	<ul style="list-style-type: none"> <li>• Oral solution: 10 mg/mL</li> </ul>

**CLINICAL POLICY**

**Lisdexamfetamine Dimesylate**

**VII. References**

1. Vyvanse Prescribing Information. Lexington, MA: Shire US Inc.; September 2025. Available at [https://www.accessdata.fda.gov/drugsatfda\\_docs/label/2025/021977s054,208510s0111bl.pdf](https://www.accessdata.fda.gov/drugsatfda_docs/label/2025/021977s054,208510s0111bl.pdf) Accessed October 21, 2025.
2. Arynta Prescribing Information. Woburn, MA: Azurity Pharmaceuticals, Inc.; June 2025. Available at: [https://www.accessdata.fda.gov/drugsatfda\\_docs/label/2025/219847s0001bl.pdf](https://www.accessdata.fda.gov/drugsatfda_docs/label/2025/219847s0001bl.pdf). Accessed October 21, 2025.
3. Yager J, Devlin MJ, Halmi KA et al. Treatment of patients with eating disorders, third edition. American Psychiatric Association. *Am J Psychiatry*. 2006;163(7 Suppl):4-54.
4. American Academy of Child and Adolescent Psychiatry. Practice parameter for the assessment and treatment of children and adolescents with Attention-Deficit/Hyperactivity Disorder. *J Am Acad Child Adolesc Psychiatry*. 2007;46(7):894-921.
5. American Academy of Pediatrics subcommittee on attention-deficit/hyperactivity disorder, steering committee on quality improvement and management. ADHD: clinical practice guideline for the diagnosis, evaluation, and treatment of attention-deficit/hyperactivity disorder in children and adolescents. *Pediatrics*. 2011;128(5):1007-1022.
6. Aigner M, Treasure J, Kaye W, Kasper S. World Federation of Societies of Biological Psychiatry (WFSBP) guidelines for the pharmacological treatment of eating disorders. *World J Biol Psychiatry*. 2011;12:400-43.
7. Crone C, Fochtmann LJ, Attia E, Boland R, et al. The American Psychiatric Association Practice Guideline for the Treatment of Patients With Eating Disorders. *Am J Psychiatry*. 2023 Feb 1;180(2):167-171. doi: 10.1176/appi.ajp.23180001. PMID: 36722117.
8. Amianto F, Ottone L, Daga A et al. Binge-eating disorder diagnosis and treatment: a recap in front of DSM-5. *BMC Psychiatry*. 2015;15:70. doi: 10.1186/s12888-015-0445-6.
9. Reas DL, Gril CM. Pharmacological treatment of binge eating disorder: update review and synthesis. *Expert Opin Pharmacother*. 2015;16(10):1463-78. doi: 10.1517/14656566.2015.1053465.
10. Hilbert A, Hoek H, and Schmidt R. Evidence-based clinical guidelines for eating disorders: international comparison. *Curr Opin Psychiatry*. 2017; 30:423-437. doi:10.1097/YCO.0000000000000360.
11. Crone C, Fochtmann LJ, Attia E, et al. The American Psychiatric Association Practice Guideline for the Treatment of Patients With Eating Disorders. *Am J Psychiatry*. 2023 Feb 1;180(2):167-171. doi: 10.1176/appi.ajp.23180001. PMID: 36722117.

Reviews, Revisions, and Approvals	Date	P&T Approval Date
1Q 2022 annual review: added requirement if request is for Vyvanse chewable tablet, member must use Vyvanse capsule to align with formulary placement between these two formulations; clarified quantity limit for tablets as 2 per day; updated FDA approved indications per prescribing information; references reviewed and updated.	09.30.21	02.22

**CLINICAL POLICY**

**Lisdexamfetamine Dimesylate**

Reviews, Revisions, and Approvals	Date	P&T Approval Date
Template changes applied to other diagnoses/indications and continued therapy section.	10.03.22	
1Q 2023 annual review: no significant changes; updated maximum quantity in continued criteria to include chewable tablets to align with initial criteria; updated topiramate maximum dose in section B; updated section V dosing regimen in from QD to QAM to align with prescribing information; references reviewed and updated.	11.01.22	02.23
1Q 2024 annual review: no significant changes; references reviewed and updated.	10.12.23	02.24
1Q 2025 annual review: no significant changes; for Appendix C, updated boxed warning section with “addiction” to align with prescriber information; references reviewed and updated. Per December SDC, removed redirection from Vyvanse chewable tablet to Vyvanse capsule for all indications; for brand Vyvanse requests added redirection to generic.	12.02.24	02.25
RT4: added newly approved Arynta dosage formulation [oral solution 10 mg/mL] to criteria; for BED and ADHD; expanded initial approval durations to 12 months as this is a maintenance medication for a chronic condition	06.26.25	
1Q 2026 annual review: no significant changes; references reviewed and updated.	10.21.25	02.26

**Important Reminder**

This clinical policy has been developed by appropriately experienced and licensed health care professionals based on a review and consideration of currently available generally accepted standards of medical practice; peer-reviewed medical literature; government agency/program approval status; evidence-based guidelines and positions of leading national health professional organizations; views of physicians practicing in relevant clinical areas affected by this clinical policy; and other available clinical information. The Health Plan makes no representations and accepts no liability with respect to the content of any external information used or relied upon in developing this clinical policy. This clinical policy is consistent with standards of medical practice current at the time that this clinical policy was approved. “Health Plan” means a health plan that has adopted this clinical policy and that is operated or administered, in whole or in part, by Centene Management Company, LLC, or any of such health plan’s affiliates, as applicable.

The purpose of this clinical policy is to provide a guide to medical necessity, which is a component of the guidelines used to assist in making coverage decisions and administering benefits. It does not constitute a contract or guarantee regarding payment or results. Coverage decisions and the administration of benefits are subject to all terms, conditions, exclusions, and limitations of the coverage documents (e.g., evidence of coverage, certificate of coverage, policy, contract of insurance, etc.), as well as to state and federal requirements and applicable Health Plan-level administrative policies and procedures.

**CLINICAL POLICY****Lisdexamfetamine Dimesylate**

This clinical policy is effective as of the date determined by the Health Plan. The date of posting may not be the effective date of this clinical policy. This clinical policy may be subject to applicable legal and regulatory requirements relating to provider notification. If there is a discrepancy between the effective date of this clinical policy and any applicable legal or regulatory requirement, the requirements of law and regulation shall govern. The Health Plan retains the right to change, amend or withdraw this clinical policy, and additional clinical policies may be developed and adopted as needed, at any time.

This clinical policy does not constitute medical advice, medical treatment, or medical care. It is not intended to dictate to providers how to practice medicine. Providers are expected to exercise professional medical judgment in providing the most appropriate care, and are solely responsible for the medical advice and treatment of members. This clinical policy is not intended to recommend treatment for members. Members should consult with their treating physician in connection with diagnosis and treatment decisions.

Providers referred to in this clinical policy are independent contractors who exercise independent judgment and over whom the Health Plan has no control or right of control. Providers are not agents or employees of the Health Plan.

This clinical policy is the property of the Health Plan. Unauthorized copying, use, and distribution of this clinical policy or any information contained herein are strictly prohibited. Providers, members, and their representatives are bound to the terms and conditions expressed herein through the terms of their contracts. Where no such contract exists, providers, members and their representatives agree to be bound by such terms and conditions by providing services to members and/or submitting claims for payment for such services.

**Note: For Medicaid members,** when state Medicaid coverage provisions conflict with the coverage provisions in this clinical policy, state Medicaid coverage provisions take precedence. Please refer to the state Medicaid manual for any coverage provisions pertaining to this clinical policy.

©2009 Centene Corporation. All rights reserved. All materials are exclusively owned by Centene Corporation and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise published without the prior written permission of Centene Corporation. You may not alter or remove any trademark, copyright or other notice contained herein. Centene<sup>®</sup> and Centene Corporation<sup>®</sup> are registered trademarks exclusively owned by Centene Corporation.