

**Clinical Policy: Peginterferon Beta-1a (Plegridy)** 

Reference Number: OR.CP.PHAR.271

Effective Date: 10.01.21 Last Review Date: 05.24

Line of Business: Medicaid – Oregon Health Plan

Coding Implications
Revision Log

See <u>Important Reminder</u> at the end of this policy for important regulatory and legal information.

# **Description**

Peginterferon beta-1a (Plegridy®) is an amino acid glycoprotein.

## FDA Approved Indication(s)

Plegridy is indicated for the treatment of patients with relapsing forms of multiple sclerosis (MS), to include clinically isolated syndrome, relapsing-remitting disease, and active secondary progressive disease, in adults.

#### Policy/Criteria

Provider must submit documentation (such as office chart notes, lab results or other clinical information) supporting that member has met all approval criteria.

It is the policy of Trillium Community Health Plan that Plegridy is **medically necessary** when the following criteria are met:

### I. Initial Approval Criteria

### A. Multiple Sclerosis (must meet all):

- 1. Diagnosis of one of the following (a, b, or c):
  - a. Clinically isolated syndrome;
  - b. Relapsing-remitting MS;
  - c. Secondary progressive MS;
- 2. Prescribed by or in consultation with a neurologist;
- 3. Age  $\geq$  18 years;
- 4. Plegridy is not prescribed concurrently with other disease modifying therapies for MS (see Appendix D);
- 5. Documentation of baseline number of relapses per year or expanded disability status scale (EDSS) score;
- 6. Dose does not exceed (a and b):
  - a. 125 mcg every 14 days;
  - b. 1 pen or syringe every 14 days.

**Approval duration:** 6 months

### **B.** Other diagnoses/indications (must meet 1 or 2):

1. If this drug has recently (within the last 6 months) undergone a label change (e.g., newly approved indication, age expansion, new dosing regimen) that is not yet reflected in this policy, refer to one of the following policies (a or b):



- a. For drugs on the PDL the no coverage criteria policy for the relevant line of business: CP.PMN.255 for Medicaid; or
- b. For drugs NOT on the PDL the non-formulary policy for the relevant line of business: OR.CP.PMN.1001 for Medicaid; or
- 2. If the requested use (e.g., diagnosis, age, dosing regimen) is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized) AND criterion 1 above does not apply, refer to the off-label use policy for the relevant line of business: CP.PMN.53 for Medicaid.

## **II. Continued Therapy**

- A. Multiple Sclerosis (must meet all):
  - 1. Member meets one of the following (a or b):
    - a. Currently receiving medication via Centene benefit or member has previously met initial approval criteria;
    - b. Member is currently receiving medication and is enrolled in a state and product with continuity of care regulations (*refer to state specific addendums for CC.PHARM.03A and CC.PHARM.03B*);
  - 2. Member meets one of the following (a, b or c):
    - a. If member has received < 1 year of total treatment: Member is responding positively to therapy;
    - b. If member has received ≥ 1 year of total treatment: Member meets one of the following (i, ii, iii, or iv):
      - i. Member has not had an increase in the number of relapses per year compared to baseline;
      - ii. Member has not had  $\geq 2$  new MRI-detected lesions;
      - iii. Member has not had an increase in EDSS score from baseline:
      - iv. Medical justification supports that member is responding positively to therapy;
    - c. Member is actively relapsing and all of the following are met (i, ii, iii):
      - i. Prescribed by or in consultation with a neurologist;
      - ii. Member is adherent to therapy as evidenced by claims for at least 144 days of therapy in the last 180 days;
      - iii. Provider has completed evaluation of alternative treatment options or plans to do so at next scheduled office visit; Plegridy is not prescribed concurrently with other disease modifying therapies for MS (*see Appendix D*);
  - 3. If request is for a dose increase, new dose does not exceed 125 mcg (1 pen or syringe) every 14 days.(a and b):
    - a. 125 mcg every 14 days;
    - b. 1 pen or syringe every 14 days.

# **Approval duration:**

**If member has received < 1 year of total treatment –** up to a total of 12 months of treatment

If member has received  $\geq 1$  year of total treatment – 12 months

**B.** Other diagnoses/indications (must meet 1 or 2):



- 1. If this drug has recently (within the last 6 months) undergone a label change (e.g., newly approved indication, age expansion, new dosing regimen) that is not yet reflected in this policy, refer to one of the following policies (a or b):
  - a. For drugs on the PDL the no coverage criteria policy for the relevant line of business: CP.PMN.255 for Medicaid; or
  - b. For drugs NOT on the PDL the non-formulary policy for the relevant line of business: OR.CP.PMN.1001 for Medicaid; or
- 2. If the requested use (e.g., diagnosis, age, dosing regimen) is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized) AND criterion 1 above does not apply, refer to the off-label use policy for the relevant line of business: CP.PMN.53 for Medicaid.

### III. Diagnoses/Indications for which coverage is NOT authorized:

- **A.** Non-FDA approved indications, which are not addressed in this policy, unless there is sufficient documentation of efficacy and safety according to the off label use policies CP.PMN.53 for Medicaid or evidence of coverage documents;
- **B.** Primary progressive MS.

# IV. Appendices/General Information

Appendix A: Abbreviation/Acronym Key EDSS: expanded disability status scale FDA: Food and Drug Administration

MS: multiple sclerosis

Appendix B: Therapeutic Alternatives Not applicable

#### Appendix C: Contraindications/Boxed Warnings

- Contraindication(s): history of hypersensitivity to natural or recombinant interferon beta or peginterferon, or any other component of the formulation
- Boxed warning(s): none reported

### Appendix D: General Information

• Disease-modifying therapies for MS are: glatiramer acetate (Copaxone<sup>®</sup>, Glatopa<sup>®</sup>), interferon beta-1a (Avonex<sup>®</sup>, Rebif<sup>®</sup>), interferon beta-1b (Betaseron<sup>®</sup>, Extavia<sup>®</sup>), peginterferon beta-1a (Plegridy<sup>®</sup>), dimethyl fumarate (Tecfidera<sup>®</sup>), diroximel fumarate (Vumerity<sup>®</sup>), monomethyl fumarate (Bafiertam<sup>™</sup>), fingolimod (Gilenya<sup>®</sup>, Tascenso ODT<sup>™</sup>), teriflunomide (Aubagio<sup>®</sup>), alemtuzumab (Lemtrada<sup>®</sup>), mitoxantrone (Novantrone<sup>®</sup>), natalizumab (Tysabri<sup>®</sup>, and biosimilar Tyruko<sup>®</sup>), ocrelizumab (Ocrevus<sup>®</sup>), cladribine (Mavenclad<sup>®</sup>), siponimod (Mayzent<sup>®</sup>), ozanimod (Zeposia<sup>®</sup>), ponesimod (Ponvory<sup>™</sup>), ublituximab-xiiy (Briumvi<sup>™</sup>), and ofatumumab (Kesimpta<sup>®</sup>).



# V. Dosage and Administration

Indication	Dosing Regimen	<b>Maximum Dose</b>
Relapsing MS	SC or IM: 63 mcg on day 1, 94 mcg on day 15,	125 mcg/14 days
	and 125 mcg on day 29 and every 14 days	
	thereafter	

#### VI. Product Availability

- For SC administration single-dose prefilled pen or syringe: 63 mcg/0.5 mL, 94 mcg/0.5 mL, 125 mcg/0.5 mL
- For IM administration single-dose prefilled syringe: 125 mcg/0.5 mL

#### VII. References

- 1. Plegridy Prescribing Information. Cambridge, MA: Biogen Inc.; July 2023. Available at http://www.plegridy.com. Accessed January 11, 2024.
- 2. Goodin DS, Frohman EM, Garmany GP, et al. Disease modifying therapies in multiple sclerosis: Subcommittee of the American Academy of Neurology and the MS Council for Clinical Practice Guidelines. Neurology. 2002; 58(2): 169-178.
- 3. Rae-Grant A, Day GS, Marrie RA, et al. Practice guideline recommendations summary: disease-modifying therapies for adults with multiple sclerosis: report of the Guideline Development, Dissemination, and Implementation Subcommittee of the American Academy of Neurology. Neurology. 2018; 90(17): 777-788. Full guideline available at: https://www.aan.com/Guidelines/home/GetGuidelineContent/904. Reaffirmed on September 18, 2021.

#### **Coding Implications**

Codes referenced in this clinical policy are for informational purposes only. Inclusion or exclusion of any codes does not guarantee coverage. Providers should reference the most up-to-date sources of professional coding guidance prior to the submission of claims for reimbursement of covered services.

HCPCS	Description
Codes	
J3590	Unclassified biologics
C9399	Unclassified drugs or biologicals

Reviews, Revisions, and Approvals		P&T
		Approval Date
Policy created: adapted from previously approved policy		07.15.21
CP.PHAR.271 Peginterferon beta-1a; changed requirement to report		
EDSS score in I.A.5 to either baseline number of relapses per year;		
expanded II.A.2 to allow approval for actively relapsing		
2Q 2022 annual review: no significant changes; references reviewed	03.17.22	04.07.22
and updated.		
2Q 2023 annual review: no significant changes; revised Medicaid		04.06.23
continued approval duration to reference the duration of total treatment		



Reviews, Revisions, and Approvals		P&T
		Approval Date
received rather than the number of re-authorizations; template changes		
applied to other diagnoses/indications and continued therapy section;		
references reviewed and updated.		
2Q 2024 annual review: no significant changes; references reviewed	03.29.24	05.21.24
and updated.		

# **Important Reminder**

This clinical policy has been developed by appropriately experienced and licensed health care professionals based on a review and consideration of currently available generally accepted standards of medical practice; peer-reviewed medical literature; government agency/program approval status; evidence-based guidelines and positions of leading national health professional organizations; views of physicians practicing in relevant clinical areas affected by this clinical policy; and other available clinical information. The Health Plan makes no representations and accepts no liability with respect to the content of any external information used or relied upon in developing this clinical policy. This clinical policy is consistent with standards of medical practice current at the time that this clinical policy was approved. "Health Plan" means a health plan that has adopted this clinical policy and that is operated or administered, in whole or in part, by Centene Management Company, LLC, or any of such health plan's affiliates, as applicable.

The purpose of this clinical policy is to provide a guide to medical necessity, which is a component of the guidelines used to assist in making coverage decisions and administering benefits. It does not constitute a contract or guarantee regarding payment or results. Coverage decisions and the administration of benefits are subject to all terms, conditions, exclusions and limitations of the coverage documents (e.g., evidence of coverage, certificate of coverage, policy, contract of insurance, etc.), as well as to state and federal requirements and applicable Health Plan-level administrative policies and procedures.

This clinical policy is effective as of the date determined by the Health Plan. The date of posting may not be the effective date of this clinical policy. This clinical policy may be subject to applicable legal and regulatory requirements relating to provider notification. If there is a discrepancy between the effective date of this clinical policy and any applicable legal or regulatory requirement, the requirements of law and regulation shall govern. The Health Plan retains the right to change, amend or withdraw this clinical policy, and additional clinical policies may be developed and adopted as needed, at any time.

This clinical policy does not constitute medical advice, medical treatment or medical care. It is not intended to dictate to providers how to practice medicine. Providers are expected to exercise professional medical judgment in providing the most appropriate care, and are solely responsible for the medical advice and treatment of members. This clinical policy is not intended to recommend treatment for members. Members should consult with their treating physician in connection with diagnosis and treatment decisions.



Providers referred to in this clinical policy are independent contractors who exercise independent judgment and over whom the Health Plan has no control or right of control. Providers are not agents or employees of the Health Plan.

This clinical policy is the property of the Health Plan. Unauthorized copying, use, and distribution of this clinical policy or any information contained herein are strictly prohibited. Providers, members and their representatives are bound to the terms and conditions expressed herein through the terms of their contracts. Where no such contract exists, providers, members and their representatives agree to be bound by such terms and conditions by providing services to members and/or submitting claims for payment for such services.

#### Note:

**For Medicaid members**, when state Medicaid coverage provisions conflict with the coverage provisions in this clinical policy, state Medicaid coverage provisions take precedence. Please refer to the state Medicaid manual for any coverage provisions pertaining to this clinical policy.

©2022 Centene Corporation. All rights reserved. All materials are exclusively owned by Centene Corporation and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise published without the prior written permission of Centene Corporation. You may not alter or remove any trademark, copyright or other notice contained herein. Centene® and Centene Corporation® are registered trademarks exclusively owned by Centene Corporation.